


www.ovision.com

ASTRO-PHYSICS

OPTIQUE&VISION 6 avenue de l'esterel 06160 JUAN LES PINS France

Tarif 08-2025 en cours modifiable sans préavis (NC : nous contacter)

Prix des montures et des instruments valables sur matériels en stock. Il est ensuite défini lors de l'ouverture des commandes de chaque modèle.



Désignation

	Instruments Astro-Physics	Tarif € HT	Tarif € TTC
130GTX	130mm f6.3 StarFire GTX, 3.5" Rotating Focuser, Carrying Case, optional 0.71x Quad Telecompressor Corrector for 130GTX or prior 130EDFGT that has been upgraded to 3.5" Rotating Focuser (35FOCER-FT), optional 3.5" Prime Focus Field Flatteners for 130GTX	9617	11541
T13012	130GT and 130GTX Tube Cover #1 for Focuser End of the Tube	132	158
T13014F-B	130GT and 130GTX Focuser Cover, Felted	143	172
110GTX	110mm f6 StarFire GTX with 3.5" Focuser and Case	8179	9814
92 Stowaway	92mm f6.65 Stowaway with 2.5" rotating focuser, Pelican case, Vixen style mounting plate	5257	6309
	Montures équatoriales Astro-Physics		
1150GTO	1150GTO German Equatorial Mount with GTOCP6, includes APCC-PRO and PEMPro.. Inclus supplément emballage carton et mousses AP. Inclus APCCPRO.	14734	17680
1150GTO-AE	1150GTO German Equatorial with Standard Temperature Absolute Encoders and GTCCP6 includes APCC-PRO and PEMPro. Inclus supplément emballage carton et mousses AP.	21145	25374
1150GTO-AEL	1150GTO German Equatorial with Extended Temperature Absolute Encoders and GTCCP6 includes APCC-PRO and PEMPro. Inclus supplément emballage carton et mousses AP.	21853	26224
1600GTO	1600GTO German Equatorial with GTOCP4 Servo Drive, Includes CD with PulseGuide and PEMPro. Inclus supplément emballage carton et mousses AP.	NC	NC
1600GTO-AE	1600GTO German Equatorial with GTOCP4 Servo Drive and R.A./Dec. Absolute Encoders (Standard Temperature). Includes APCC-Pro. Inclus supplément emballage carton et mousses AP.	NC	NC
1600GTO-AEL	1600GTO German Equatorial with GTOCP4 Servo Drive and R.A./Dec. Absolute Encoders (Extended Temperature).Includes APCC-Pro. Inclus supplément emballage carton et mousses AP.	NC	NC
3600GTO	3600GTO German Equatorial with Servo Drive, Go-To Keypad with Keypad Protector, Cables. Includes PulseGuide and PEMPro v2 CDs. Packing/crating and shipping charges added at time of shipment.	NC	NC
3600GTOPE	3600GTO German Equatorial with Precision Encoder, Servo Drive, Go-To Keypad with Keypad Protector, Cables. Includes: PulseGuide and PEMPro v2 CDs. Packing/crating and shipping charges added at time of shipment.	NC	NC

Mach2GTO	Mach2GTO German Equatorial Mount with GTOCP5 and Dual Absolute Encoders (Standard Temp), includes APCC-Pro.	NC	NC
Mach2GTO – L	Mach2GTO German Equatorial Mount with GTOCP5 and Dual Absolute Encoders (Extended Temp), includes APCC-Pro.	NC	NC
KEYVFK2	GTO Keypad with Keypad Protector for all GTO mounts. Serial # of mount required for purchase.	1149	1379
GTOCP4	GTOCP4 Control Box for all GTO Mounts, Includes CONCOVS (Set of Covers) Needs Power Cable (CABPP4SET) and possibly other adapters. Serial # of mount and current control box required for purchase.	1501	1801
CABPP4SET	Power Cable Set for GTOCP4. Includes: 6' Cable with PowerPole Connector (CABPP6), 18" Cable with Cigarette Lighter Plug (CABPP18C), 18" Cable with Ring Terminals (CABPP18R), Clip (FPCLIP)	169	202
	Accessoires pour modèle Mach1 GTO		
CABGTO24	24" Extension Between GTO Control Box and Y-Cable. Useful for low attachment of GTO control box on pier or tripod - for Mach1GTO, 400GTO, 600EGTO mounts	199	239
CBAPT	Pier/Tripod Control Box Adapter for GTOCP4, GTOCP3 and GTOCP2. Includes screw packet. For a discussion of options and restrictions, see the Guidelines for Using 6" Trays and the Control Box Adapter.	104	125
M1RAUP	Mach1GTO Precision-Adjust Rotating Base/ Hi-Res Azimuth Adjuster Upgrade Kit	434	521
SM1CSA	Mach1 GTO Counterweight Shaft Adapter with Stainless Steel Insert	138	166
MSSKB	Machined Safety Stop Knob. 5/16"-18 thread. Use on 1.875" diameter, older style counterweight shafts and all 1.125" diameter Counterweight Shafts.	51	61
SM1GYCR	Y-Cable for Mach1GTO Mount	241	289
	Accessoires pour modèle Mach2 GTO		
CABM2RD22	22" Mach2GTO RA/Dec Cable from Backplate to GTOCP5	207	248
	0		
	Accessoires pour le modèle 1150GTO		
PS24V6APP-A-SET	24V 6A Power Supply Set with PowerPole Connector and Power Cord for Wall Outlet	152	182
RAP1150	Bracket to Attach Right-Angle Polar Alignment Scope Adapter (RAPAS) to 1150GTO Mounts	194	232
	Accessoires pour modèle 900 GTO		
119FP	Flat Pier Plate for 1100GTO and all 900 Mounts - for 8" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	244	292
119FSA	Flat Surface Adapter for attaching 1100 Mount to a flat surface or 900 Pier Adapter and Wedge to a flat surface. NOT for 800 mounts!	224	269
900SPA	Standard Pier Adapter for 900 Mount, all models.	347	416
S900CSA	900GTO Counterweight Shaft Adapter with Stainless Steel Insert	138	166
S900GYCR	Y-Cable for 900GTO Mount with GTOCP4, GTOCP3 or GTOCP2 Control Boxes that are mounted on the RA housing. Cable lengths: RA=14", Dec=39" with cable tie.	280	337
DOVEKBREP	Replacement for 900/1200 Dovetail Knob, use during remote observing to reduce risk of cables catching, only 1 needed per mount, SHIPPING EXTRA	55	66
	Accessoires pour modèle 1100 GTO		
119FSA	Flat Surface Adapter for attaching 1100 Mount to a flat surface or 900 Pier Adapter and Wedge to a flat surface. NOT for 800 mounts!	224	269
119FSA-FP	Flat Surface Adapter with Flat Pier Plate for 1100GTO and all 900 Mounts	396	475
M11010KIT	1100GTO Single Control Box Adapter, includes two 8-32x3/8" Thumbscrews	85	102
11AE-4-KIT	1100GTO R.A. and Dec. Absolute Encoder and Readhead System, Standard Temperature. Kit installed by customer. Requires GTOCP4 Control Box and Power Cable (CABPP4SET).	7430	8916
11AE-4L-KIT	1100GTO R.A. and Dec. Absolute Encoder and Readhead System, Extended Temperature. Kit installed by customer. Requires GTOCP4 Control Box and Power Cable (CABPP4SET).	8197	9836
M9404-B	16.975" x 1.875" diameter Stainless Steel Counterweight Shaft. Holds 5, 10, 18 & 24 lb. counterweights. For 900 & 1100 mounts – all models except older 900 mounts with shaft encoders. Also fits 1200 and Mach1GTO. Requires Safety Stop (M12676) and can use	206	247

Q6281KIT	Extension to allow 1100GTO Control Box Adapter (single or double) to be used when upsizing pier size to 10 inch diameter or with large custom piers. Includes two 8-32x1/2 inch buttonhead cap screws	122	146
S1100CSA	1100GTO Counterweight Shaft Adapter with Stainless Steel Insert	138	166
S1100DTP	1100GTO Dec Top Plate	300	360
S1100GYCR42	Y-Cable w/42" Declination Length for 1100 Quick Release Servo Box (RoHS)	274	328
	Accessoires pour modèle 1200 GTO		
1612FP	Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	338	406
1612FSA	Flat Surface Pier Adapter to attach the following to a flat surface: 1600GTO, 1200 Pier Adapters or Wedge. Note: This part replaces 1200FSA.	236	283
1612FSA-FP	Flat Surface Adapter with Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics piers	503	604
CBA912KIT	90-Degree Dovetail Adapter Plate for 900/1200 RA- mounted GTOCP4, incl. two 10-32 x 3/8" button head cap screws	173	208
DOVEKBREP	Replacement for 900/1200 Dovetail Knob, use during remote observing to reduce risk of cables catching, only 1 needed per mount, SHIPPING EXTRA	55	66
S1200CSA	1200GTO Counterweight Shaft Adapter with Stainless Steel Insert	138	166
S1200GYCR	Y-Cable for 1200GTO Mount with GTOCP4, GTOCP3 or GTOCP2 Control Boxes that are mounted on the RA housing. Cable lengths: RA=14", Dec=39".	280	337
1200SPA	Standard Pier Adapter for 1200 mount, all models, fits 10" Astro-Physics Piers	526	631
	Accessoires pour modèle 1600 GTO		
1612FP	Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	338	406
1612FSA	Flat Surface Pier Adapter to attach the following to a flat surface: 1600GTO, 1200 Pier Adapters or Wedge. Note: This part replaces 1200FSA.	236	283
1612FSA-FP	Flat Surface Adapter with Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics piers	503	604
16AE-4-I	1600GTO R.A. and Dec. Absolute Encoder and Readhead System, Standard Temperature. Installed by Astro-Physics at time of mount manufacture.		
16AE-4-KIT	1600GTO R.A. and Dec. Absolute Encoder and Readhead System, Standard Temperature. Kit installed by customer. Requires GTOCP4 Control Box and Power Cable (CABPP4SET)	7194	8633
16AE-4L-I	1600GTO R.A. and Dec. Absolute Encoder and Readhead System, Extended Temperature. Installed by Astro-Physics at time of mount manufacture.		
16AE-4L-KIT	1600GTO R.A. and Dec. Absolute Encoder and Readhead System, Extended Temperature. Kit installed by customer. Requires GTOCP4 Control Box and Power Cable (CABPP4SET)	7961	9553
S1600CSA	1600GTO Counterweight Shaft Adapter with Stainless Steel Insert	138	166
	Accessoires pour modèle 3600 GTO		
36LSS	Limit Switch System for 3600GTO - Installation included if purchased with the mount. May be purchased at a later date to be installed by the customer.	733	879
CAB36LS	3600GTO Cable to Connect Limit Switch Connector on Cable Port Plate to GTOELS	136	163
DOVE3622	22" Dovetail Saddle Plate for 3600GTO Mount. Use with 22" or 27" Dovetail Sliding Bar (SB3622 or SB3627)	973	1167
M3655	11.5" Counterweight Shaft Extension for 3600GTO, 2.5" Diameter	420	504
SB3627	27" Dovetail Sliding Bar for 3600GTO. Use with 22" Dovetail Saddle Plate (DOVE3622)	903	1084
	Accessoires et pièces détachées pour montures Astro-Physics, toutes versions confondues		
12CBKIT	1200GTO Quick Release Control Box Adapter Kit, Includes: two 10-32x3/8 socket buttonhead screws, two 8-32x1/4 socket set screws and two 8-32x3/8 thumbscrews	161	193
9CBKIT	900GTO Quick Release Control Box Adapter Kit, only needed if upgrading from GTOCP1 Control Box, Includes: three 10-32x3/8 socket buttonhead screws, two 8-32x1/4 socket set screws and two 8-32x3/8 thumbscrews	161	193
C0024	Pouch #2 for Servo Control Box of 400GTO, 600EGTO and Mach1GTO mounts. GTOCP2 or GTOCP3	126	151

CAB36LS4	30 " Cable to Connect Limit Switch Connector on 3600GTO Cable Port Plate to GTOCP4	204	245
CAB36PEF	3600GTOPE Cable From Precision Encoder to GTOCP4 (original cable for the GTOELS control box cannot be used)	206	247
CABGTO24	24" Extension Between GTO Control Box and Y-Cable. Useful for low attachment of GTO control box on pier or tripod - for Mach1GTO, 400GTO, 600EGTO mounts	199	239
CABKEY--	GTO Keypad Extension Cable. Successfully used to 72'. Cannot guarantee longer cables. The two dashes in the part number will be replaced by the length in feet. Lead-free	NC	NC
CABLPFPP	6' Power Cable with Switchcraft and Powerpole Connectors for GTOCP3, Most Earlier Mounts and Telescope Fans. Includes: Cable w/Clip and Velcro Tie"	119	143
CABPP123SET	Power Cable Set with Switchcraft and Powerpole Connectors for GTOCP3, Most Earlier Mounts and Telescope Fans. Includes: CABLPFPP w/Clip and Velcro Tie, CABPP18R and CABPP18C. "	169	202
CABPP18C	18" Power Cable Extension with Cigarette Lighter Plug and PowerPole Connector. Use with CABPP6.	46	55
CABPP18R	18" Power Cable Extension with Ring Terminals and PowerPole Connector. Use with CABPP6.	55	66
CABPP4SET	Power Cable Set for GTOCP4. Includes: 6' Cable with PowerPole Connector (CABPP6), 18" Cable with Cigarette Lighter Plug (CABPP18C), 18" Cable with Ring Terminals (CABPP18R), Clip (FPCLIP)	169	202
CABPP6	6' Power Cable for GTOCP4 with PowerPole Connector. Must use with CABPP18C, CABPP18R or other cable with PowerPole Connector	119	143
CBAPT	Pier/Tripod Control Box Adapter for GTOCP4, GTOCP3 and GTOCP2. Includes screw packet. For a discussion of options and restrictions, see the Guidelines for Using 6" Trays and the Control Box Adapter.	104	125
CONCOVS	Set of Covers and Plugs for GTO Control Boxes, Including: All Connectors, Interfaces and Drainage Holes. Add Shipping.	36	44
KEYPRO	Rugged Rubber GTO Keypad Protector. Thick rubber casing protects your keypad if dropped. Included with purchase of new mount or keypad.	134	160
KEYVFK2	GTO Keypad with Keypad Protector for all GTO mounts. Serial # of mount required for purchase.	1149	1379
S1200GYCR	Y-Cable for 1200GTO Mount with GTOCP4, GTOCP3 or GTOCP2 Control Boxes that are mounted on the RA housing. Cable lengths: RA=14", Dec=39".	280	337
S900GYCR	Y-Cable for 900GTO Mount with GTOCP4, GTOCP3 or GTOCP2 Control Boxes that are mounted on the RA housing. Cable lengths: RA=14", Dec=39" with cable tie.	280	337
SGYCR2345	Y-Cable for 900GTO Mount. Ideal for Pier-mounted GTOCP4, GTOCP3 or GTOCP2 Control Boxes. Cable lengths: RA=23", Dec=45"	284	341
SGYCR2950	Y-Cable for 1200GTO Mount. Ideal for Pier-mounted GTOCP4, GTOCP3 or GTOCP2 Control Boxes. Cable lengths: RA=29.5", Dec=50.5"	288	346
	Accessoires mécaniques pour montures Astro-Physics		
	Contrepoids, barres de contrepoids, viseur polaire		
	*** Le prix des contrepoids n'est valable qu'avec l'achat groupé d'une monture de la gamme ***		
10SCWT	10 lb. Stainless Steel Counterweight for 1.875" Shaft - for 900, 1100, 1200 & 1600 mounts (and Mach1GTO with optional shaft)	434	521
14SLCWT	14 lb. Stainless Steel Counterweight for 1.125" Shaft - 400,600E,800 and Mach1 Mounts	480	576
18SCWT	18 lb. Stainless Steel Counterweight for 1.875" Shaft - for 900, 1100, 1200 & 1600 Mounts (and Mach1GTO using optional shaft)	512	614
30SCWT188	30 lb. Stainless Steel Counterweight for 1.875" Shaft - for Mach2, 900, 1100, 1200 & 1600 mounts	717	861
33SCWT	33 lb. Stainless Steel Counterweight for 2.5" Shaft - 3600GTO and 3600GTOPE	740	888
5SCWT	5 lb. Stainless Steel Counterweight for 1.875" Shaft - for Mach2, 900, 1100, 1200 & 1600 Mounts (and Mach1GTO using optional shaft)	390	468
6SLCWT	6 lb. Stainless Steel Counterweight for 1.125" Shaft - for 400, 600E, 800, and Mach1 Mounts	390	468
9SLCWT	9 lb. Stainless Steel Counterweight for 1.125" shaft - for 400, 600E, 800, and Mach1 Mounts	424	508
M12601-E	22" x 1.875" diameter Stainless Steel Counterweight Shaft. Holds 5, 10, 18 or 24lb. counterweights. For 1600 and 1200 mount – all models. Also fits 900 & 1100 mounts – all models except older 900 mounts with shaft encoders. Requires Safety Stop (M12676) a	371	446

M12675	9.25" x 1.875" diameter counterweight shaft extension. Holds 5, 10, 18, 24 or 30 lb. counterweights. Fits all counterweights shafts with a thread I.D. of approximately 1" – NOT for other shafts. Requires Safety Stop (M12676).	319	383
M12676	Counterweight Shaft Safety Stop, One-Piece, Washerless. Fits all counterweights shafts with a thread I.D. of approximately 1" – NOT for other shafts.	97	116
M2043	13.7" x 1.875" Diameter Counterweight Shaft, Stainless Steel. Holds 5, 10, 18 & 30 lb. counterweights. This version ships with the Mach2GTO. For 900 & 1100 mounts – all models except older 900 mounts with shaft encoders. Also fits 1200 and Mach1GTO. Re	338	406
M3655	11.5" Counterweight Shaft Extension for 3600GTO, 2.5" Diameter	420	504
M8084-B	14.5" x 1.125" diameter counterweight shaft. Holds 6 or 9 lb. counterweights. For Mach1GTO mount. Also fits 400, 600. OK with shaft encoders. Requires a Safety Stop Knob (MSSKB - recommended) or Safety Knob (SCWTKB) and Safety Washer 5/16" (or 11/32") ID	286	343
M9404-B	16.975" x 1.875" diameter Stainless Steel Counterweight Shaft. Holds 5, 10, 18 & 30 lb. counterweights. For 900 & 1100 mounts – all models except older 900 mounts with shaft encoders. Also fits 1200 and Mach1GTO. Requires Safety Stop (M12676) and can use	352	422
MSSKB	Machined Safety Stop Knob. 5/16"-18 thread. Use on 1.875" diameter, older style counterweight shafts and all 1.125" diameter Counterweight Shafts.	51	61
47RING	4.7" Mounting Rings for 130 f6.3 StarFire EDF "Gran Turismo" or other telescopes with 4.7" diameter tubes. These rings are too small for the original 130 f6 StarFire model that has a 5.5" diameter tube.	486	583
55RING2	5.5" Mounting Rings for 130 StarFire GTX and 130 StarFire EDT/EDF refractors or other telescope tubes of 5.5" diameter. Sept 2015 style features new top-of-ring hole pattern and taller base for increased clearance	560	672
63HANDLE	Handle with 6.3" Spacing, Ideal for Stowaway or 130 Refractor, includes (2), 1/4-20 x 1.25" SHCS	156	187
Q12700	Polar Scope Cover for 900 Mounts Shipped Before October 2005, all 400 and most 1200 Mounts (except original black metric version). Thread diameter of opening approx 3.25".	121	145
Q16030	Losmandy Polar Alignment Scope Adapter for 1100 & 1600 mounts. Purchase this if you already own a Losmandy Polar Scope.	97	116
Q8140-A	Losmandy Polar Alignment Scope Adapter - for all past and present models of 400,600,600E,800,900 and 1200 mounts (except the first black 1200 mounts that were produced).	117	140
RAP1200	Right-Angle Polar Alignment Scope Adapter for 1200GTO Mounts. Includes Cap (Q16106)	206	247
RAP900	Right-Angle Polar Alignment Scope Adapter for 900GTO Mounts. Includes Cap (Q16106)	180	215
RAPAS	Right-Angle Polar Alignment Scope with LED Illuminator - 1100GTO, 1600GTO, Mach1GTO and all 900 and 1200 Mounts (except the early black version). Some of these mounts require adapters.	554	665
RAPM1	Right-Angle Polar Alignment Scope Adapter for Mach1GTO Mounts. Includes Cap (Q16106)	180	215
RAPM2	Bracket to Attach Right-Angle Polar Alignment Scope Adapter to Mach2GTO Mounts	218	261
	Trépieds et adaptateurs		
119FP	Flat Pier Plate for 1100GTO and all 900 Mounts - for 8" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	244	292
119FSA	Flat Surface Adapter for attaching 1100 Mount to a flat surface or 900 Pier Adapter and Wedge to a flat surface. NOT for 800 mounts!	224	269
119FSA-FP	Flat Surface Adapter with Flat Pier Plate for 1100GTO and all 900 Mounts - for 8" ATS and other non-Astro-Physics piers. No modification needed for standard 1/8" wall piers. Must be shipped to ATS for proper fitting to pier. Will need to be modified by AT	396	475
142085KBBKIT	1/4-20 x .85" Plastic Knob Kit, set of 3, included with Eagle Pier 8" Extension (EAGLE6E8) and Losmandy to AP Tripod/Pier Adapter (LM2APT). You may wish to consider the black-anodized, machined version of these knobs (M1485KBBKIT) instead.	92	110
1612FP	Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	338	406
1612FSA	Flat Surface Pier Adapter to attach the following to a flat surface: 1600GTO, 1200 Pier Adapters or Wedge. Note: This part replaces 1200FSA.	236	283
1612FSA-FP	Flat Surface Adapter with Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics piers	503	604

ADATRI	Flat Surface Adapter to attach 400, 600E, and Mach1 to a flat surface.	190	228
C0031	Soft-sided Carrying Case for 6" Eagle Pier, 32" Long, for use in shortest position	397	477
C0052	Soft-sided Carrying Case for 6" Eagle Pier, 52" Long, for use when wanting to keep Eagle Pier in extended positions.	536	643
EAGLE6-EZ	6" Eagle Adjustable Folding Pier	2879	3455
EAGLE4	4" Extension for all 6" Piers, Tripods and ADATRI from AP, includes (3) Knobs & (3) 1/4-20x3/4" Button Socket Head Cap Screw and Washers	434	521
EAGLE6E8	8" Extension for 6" Eagle Pier, includes (3) Knobs, and (3) 1/4-20x5/8 button socket head screw with washer.	541	650
LM2APT	Adapter to attach Losmandy G11 mount to Astro-Physics Tripod, 6" Portable Pier or Eagle Adjustable Folding Pier, w/ Knobs for pier / tripod. Does NOT include knobs for mount (LTKS).	211	253
LT2APM	Adapter to attach Losmandy HD Tripod or Tripod with Losmandy MA Top to Astro-Physics 400, 600, 1100, 900 and Mach1 Mounts. Includes screw packet.	199	239
M1485KBIT	1/4-20 Machined Knob Kit, set of three black-anodized, aluminum knobs with tapered shanks for Mach1GTO, 400, 600 and 600E mounts, EAGLE6E8, and LM2APT. Threaded portion of knob is 0.85" long. Includes washers.	86	103
	Adaptateurs modifiés version ATS		
119FP	Flat Pier Plate for 1100GTO and all 900 Mounts - for 8" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	244	292
1612FP	Flat Pier Plate for 1600GTO and all 1200 Mounts - for 10" ATS and other non-Astro-Physics Piers, includes: (8) 1/4-20 x 3/4" SHCS, (6) 5/16 x 5/8" BHS & (6) 5/16 x 9/16 OD x 0.060" flat washer	338	406
	Accessoires pour trépieds Astro-Physics		
CBAPT	Pier/Tripod Control Box Adapter for GTOCP4, GTOCP3 and GTOCP2. Includes screw packet. For a discussion of options and restrictions, see the Guidelines for Using 6" Trays and the Control Box Adapter.	147	176
Q6280KIT	Extension to allow Control Box Adapter (CBAPT) to be used with Berlebach tripods and when upsizing to 8 inch diameter pier. Includes one 5/16-18x5/8 inch buttonhead screw and one 5/16 inch ID x 9/16 inch OD x 0.060 inch flat washer	122	146
Q6281KIT	Extension to allow 1100GTO Control Box Adapter (single or double) to be used when upsizing pier size to 10 inch diameter or with large custom piers. Includes two 8-32x1/2 inch buttonhead cap screws	122	146
TRAY06	Pier Accessory Tray for tripods & 6" diameter piers including 6" Eagle (needs TRAYSB or TRAYSB1 sold separately) For a complete discussion of options and restrictions, see the Guidelines for Using 6" Trays and the Control Box Adapter	161	193
TRAY06H	Eyepiece Accessory Tray for tripods & 6" diameter piers including 6" Eagle (needs TRAYSB or TRAYSB1 sold separately) Features two 2" and three 1.25" holes for eyepieces. For a complete discussion of options and restrictions, see the Guidelines for Using 6	177	212
TRAY08	Pier Accessory Tray for 8" diameter pier (needs TRAYSB) For use with 32", newer 42", 48", 54" and 62" Astro-Physics Portable Piers. Older 42" piers without added mounting holes will need modification by owner. Call Astro-Physics for details. For shorter A	170	204
TRAY08H	Eyepiece Accessory Tray for 8" Pier, Features Four 2" and Three 1.25" Holes for Eyepieces. For use with 32", newer 42", 48", 54" and 62" Astro-Physics Portable Piers. Older 42" piers without added mounting holes will need modification by owner.	177	212
TRAY10	Pier Accessory Tray for 10" diameter pier (needs TRAYSB). For use with 32", newer 42", 48", 54" and 62" Astro-Physics Portable Piers. Older 42" piers without added mounting holes will need modification by owner. Call Astro-Physics for details. For shorter	180	215
TRAY10H	Eyepiece Accessory Tray for 10" Pier (needs TRAYSB). Features Five 2" and Six 1.25" Holes for Eyepieces. For use with 32", newer 42", 48", 54" and 62" Astro-Physics Portable Piers. Older 42" piers without added mounting holes will need modification by ow	185	222
TRAYSB	Bi-Level Support Bar for Two Pier Accessory Trays (needs any AP Accessory Tray(s) sold separately) For 6" pier applications (incl. EAGLE6), see the accessory guidelines chart. For use with 32", newer 42", 48", 54" and 62" Astro-Physics 6", 8" & 10" Portab	119	143

TRAYSB1	Single-Level Support Bar for one accessory tray. (needs any A-P Accessory Tray sold separately) For tripod and 6" pier applications (incl. EAGLE6), see the accessory guidelines chart. For use with 32", newer 42", 48", 54" and 62" Astro-Physics 6", 8" & 10	111	134
	Platines coulissantes mâles, queues d'arondes femelles		
1200RP15	15" Ribbed Mounting Plate for 1200 and 1600 Mounts for 155EDF/EDFS, 160EDF and 140 EDF/EDFS and scopes of similar size.	325	390
ACSD07	7" V-Style Light-weight Dovetail Accessory Saddle (Needs Dovetail Bar), includes (2) 1/4-20 x 5/8" Flat Head Socket Cap Screws. Perfect for 92mm Stowaway, 130 StarFire GT/GTX or any mounting rings with center 1/4-20 hole, rings spaced 6.3" apart.	211	253
DOVEDV10	10" Saddle Plate for Both D-Style and V-Style Bars. Suitable for Mach2, Mach1, 600E, 400, 900 and 1100 mounts. Features 3 clamps.	325	390
DOVELM162	16" Easy-Balance Dovetail Saddle Plate with 3 clamps. Suitable for 1600, 1100, 1200, 900 and Mach1 mounts. Can also be used with 3600GTO when attached to 22" or 27" Dovetail Sliding Bars (SB3622 or SB3627) in side-by-side configuration. The 3-clamps make	389	467
DOVEPW	16.5" P-Style Dovetail Saddle Plate with Four Clamps. Suitable for 3600GTO, 1600GTO and 1200 Mounts. Use with 7.65" Dovetails including SBPW23 and plates made by Planewave Instruments.	778	933
DOVESP	8" Dovetail Mounting Plate with Adapters for Super Polaris Mount (needs SB0800 or SB1000 sliding bar)	214	256
Q4045	Adapter to use DOVE08, DOVE15, DOVELM2, DOVELM w/ Takahashi EM-10 Mount (needs one of these plates and corresponding sliding bar)	102	123
SB0800	7" Sliding Bar/Mounting Adapter - Multi-use (To use with DOVE08 for 105 Traveler, StarFire 130EDFS, TeleVue Genesis SDF, TeleVue 101, TeleVue Renaissance refractors or to mount Traveler on heavy-duty camera tripod or LMDUP (using special screws), has 1/4-	122	146
SBD12	12" Sliding Bar for DOVELM2, DOVELM162 (version with 3 clamps only) and other Losmandy D-Series Style Dovetails. NOT suitable for DOVELM16, DOVELM16S and DOVELM162 version with 2 clamps.	211	253
SBD13SS	13" Side-by-Side D-Series Style Dovetail Plate. Attach any two of these dovetails: DOVE08, DOVELM2, DOVELM162, DOVELM16, DOVELM16S and DOVELM (Cannot be used with DOVE15)	224	269
SBD16	16" Versatile Dovetail Plate for DOVELM2, DOVELM162 (including previous versions) and other Losmandy D-Series Style Saddle Plates. Plate compatible with AP 6.3" and 13.75" ring spacings. Accepts most current rings including the 14" rings for the 305 mm f3	236	283
SBD18SS	18" Side-by-Side Dovetail Plates for D-Style Dovetail Saddles	249	299
SBDAPB	Astro-Physics Riser Blocks, set of 2. Use with 16" Universal Sliding Bar (SBD16) & Astro-Physics Mounting Rings. These blocks are not required for normal use of the SBD16, but are used when you want to raise up one pair of mounting rings in order to use a	180	215
SBDTB	Takahashi Adapter Blocks-Use w/16" Universal Sliding Bar (SBD16) & ring sets having fastener spacing at 180mm (optical axis) by 48mm-152mm in width. Including Takahashi Mewlon, BRC and FRC, set of two	161	193
SBPW23	23" P-Style Dovetail Plate, 7.65" Wide. Attachment holes for wide variety of mounting rings. Can also use as side-by-side plate. Fits into P-Style Saddle Plate (DOVEPW).	626	751
SBV08	8" Vixen-Style Dovetail Sliding Bar with AP 6.3" hole placement and versatile slots. Designed for small scopes, such as the Stowaway and Traveler. Can be used with all Vixen-style dovetail systems.	122	146
SBV15	15" V-Style Wide Dovetail Bar for DOVEDV10 and other V-Style Saddle Plates	NC	NC
	Connectivité informatique pour CP2, CP3, CP4, CP5		
CABSER15	15' Straight-through Serial Cable, DB9 Male/DB9 Female	36	44
	Accessoires visuels		
A3251-C	Finder Bracket Male Dovetail Base (needs QRBASEM or previous QRBASE or QRBASES)	59	70
BARADV	2" Advanced Convertible Photo-Visual Barlow (includes part ADA202)	334	401
PMDMAX	MAXBRIGHT 2" Mirror Diagonal with Dielectric Coating and Brass Locking Ring. Does NOT include 1.25" adapter (ADA125).	461	553

QRBASEG	Base for 10 x 60 Quick Release Guider Bracket, can also be used with S860QRM, S1050QRM & accessories that use Male Dovetail Base (A3251-B), including STARFMD and QWIKMD	123	147
QRBASEM	Multi Radius Base for Quick Release Finder Bracket & Accessories using Male Dovetail Base (A3251-B), including STARFMD. It replaces earlier QRBASE, QRBASES-A and QRBASED	112	135
QRBATAK	Takahashi Adapter for Guidescope Dovetail Base (QRBASEG) with Fasteners, (4) 10-32 x 5/8" Button Head Socket Cap Screws and (2) 5mm x 16mm Socket Head Cap Screws	69	83
S1060QRGB	10 x 60 Quick Release Guider Bracket. Needs QRBASEG	318	382
S1060QRM	10x60 Quick Release Finder Bracket. Needs QRBASE or QRBASES	212	254
PICQRM2	Picatinny Male Dovetail Base for Multi-Reticle Reflex Finders (Needs QRBASEM or previous QRBASE or QRBASES)	87	105
	Accessoires pour imagerie photo et CCD		
92FF	Field flattener for 92mm Stowaway	756	907
92TCC	0.8x telecompressor for 92mm Stowaway	756	907
110TCC	0.83x CCD Telecompressor Corrector for 110mm f/6 StarFire GTX	1807	2169
110FF	1.10x Field Flattener for 110GTX	1167	1400
27TVPH	2.7" Photo-Visual Telecompressor (0.75x) (must use with 35mm Camera Adapter listed below)	376	451
13027FF-EDFS	2.7" Prime Focus Field Flattener for Legacy StarFire f6 EDFs Refractors	1138	1365
13027FF-GT	2.7" Field Flattener w/ 6x7cm Pentax Prime Focus Camera Adapter for 130 f/6.3 StarFire GT with 2.7" Focuser	1138	1365
13035FF-2	3.5" Prime Focus Field Flattener for 130GTX serial # 130GTX-600 to 130GTX-899 ** Dew shield does NOT have a thumbscrew. Assembled with: EXT327-17.0	1138	1365
13035FF-3	3.5" Prime Focus Field Flattener for 130GTX serial # 130GTX-900 and higher. ** GTX dew shields HAVE a thumbscrew. Also for any 130EDFGT upgraded to 3.5" Focuser. Assembled with EXT327-17.0	1138	1365
14035FF	3.5" Prime Focus Field Flattener for 140 TEC Refractors or 140 StarFire with 4" or 3.5" Focuser. Includes set of spacers: SRSET-327	1138	1365
67PF582	2.7" Field Flattener w/ 6x7cm Pentax Prime Focus Camera Adapter- 130 StarFire EDT, 155 StarFire EDFs, Star12ED, Star130ED & 140 StarFire EDFs.	1138	1365
A1225	Cover for Astro-Physics 2.7" Field Flattener Threaded Side and Other Accessories with 2.7" Male Thread	86	103
A1226F	Cover for Astro-Physics 2.7" Field Flattener Bayonet Side, Felted. Fits all field flatteners and other parts with 6x7 outer bayonet.	103	124
ADA2003A	2" Adapter with Brass Locking Ring and Three Custom Machined 1/4-28 x 0.8" Thumbscrews	119	143
ADA2767	6x7 Outer Bayonet for AP 2.7" Thread - attaches 6x7 Pentax, 67RT, 67RTEOS, ADA671, ADA672, A1261, A1262 and custom adapters to AP 2.7" Thread (including 27TVPH)	143	171
ADA35STL	3.5" Focuser to SBIG STL Camera Adapter, incl. (4) 6-32x1/2" Sockethead Cap Screws	137	165
ADA671	Adapter to attach STL with 8-position Color Filter Wheel to AP 2.7" & 4" FF and 6x7 Adapters, includes (4) 6-32x1/2 SHCS, overall length 1.580"	112	135
ADA672	Adapter to attach STL with 5-position Color Filter Wheel to AP 2.7" & 4" FF and 6x7 Adapters, includes (4) 6-32x1/2 SHCS, overall length 1.930"	112	135
BARADV	2" Advanced Convertible Photo-Visual Barlow (includes part ADA202)	334	401
CSET27FF	Covers for Astro-Physics 2.7" Field Flatteners with 6x7 Outer Bayonet, set of 2.	173	207
QRBATAK	Takahashi Adapter for Guidescope Dovetail Base (QRBASEG) with Fasteners, (4) 10-32 x 5/8" Button Head Socket Cap Screws and (2) 5mm x 16mm Socket Head Cap Screws	69	83
	Adaptateurs mécaniques pour la photographie		
67RLEOS	SLR Camera Adapter (35mm and digital) with large 1.875" (47.6mm) diameter EOS bayonet for Canon auto-focus EOS SLR cameras. Minimizes vignetting on full frame chips by eliminating T-thread interface. NOT for Canon manual-focus 35mm cameras. To be used w	226	272

67RLNIK	Nikon Camera Adapter with 1.875" (47.6mm) Diameter Stainless Steel Bayonet. To be used with 2.7" and 4" Prime Focus Field Flatteners. If you received your 2.7" Field Flattener prior to May 1994, you will need new aluminum parts to use this adapter. Note: Use ADATCCNIK for 175FF, 160FF and 13035FF CCD Field Flatteners.	226	272
67RT	SLR Camera Adapter (35mm and digital) without T-ring. Use with 2.7" and 4" Field Flatteners (except 160FF). If you received your 2.7" Field Flattener prior to May 1994, you will need new aluminum parts to use this adapter.	102	122
EPCT	Eyepiece Projection SLR Camera Adapter w/o T-ring, for use with SLR (35mm & Digital) Cameras or Small CCD Cameras using a 2" Nosepiece	135	162
EPCTMIN	Eyepiece Projection Camera Adapter w/Minolta T-ring, for use with 35mm Cameras or Small CCD Cameras using a 2" Nosepiece	163	196
EPCTOLY	Eyepiece Projection SLR Camera Adapter w/Olympus T-ring, for use with SLR (35mm & Digital) Cameras or Small CCD Cameras using a 2" Nosepiece	163	196
EPCTPTS	Eyepiece Projection Camera Adapter w/Pentax S T-ring, for use with 35mm Cameras or Small CCD Cameras using a 2" Nosepiece	163	196
PFCLEOS	Canon EOS Camera Adapter with 2" Nosepiece and large 1.875" (47.6mm) diameter EOS bayonet to eliminate full-frame sensor vignetting	201	242
PFCLNIK	Nikon Camera Adapter with 2" Nosepiece and 1.875" (47.6mm) Diameter Stainless Steel Bayonet	201	242
	Accessoires pour imagerie numérique CCD		
QUADTCC155	0.72x Quad Telecompressor Corrector for 155 f7 StarFire. Requires Either 3.5" Focuser or S35RFAA Adapter for 4" Focuser	2026	2432
A1260	0.5" CCD Adapter for older SBIG ST configurations with gap-mounted color filter wheel and for use with extensions to create intermediate spacings. Use with 2.7" or 4" Field Flattener or with 6x7 Outer Bayonet Adapter (ADA2767)	94	113
EXT48-12.7	2" Nosepiece Extension with 48mm Threads (formerly A3703)	77	92
ADA2767	6x7 Outer Bayonet for AP 2.7" Thread - attaches 6x7 Pentax, 67RT, 67RTEOS, ADA671, ADA672, A1260, A1261, A1262 and custom adapters to AP 2.7" Thread (including 27TVPH)	143	171
ADATCC2	Adapter to attach 175FF, 160FF, 175TCC, 160TCC or 155TCC to camera with 2" nosepiece. DO NOT use with nosepieces longer than 1" when using any of the TCC Telecompressors. Please review spacing requirements for CCD Field Flatteners and Telecompressor Corre	119	143
ADATCC3	Adapter to attach 175FF, 160FF, 175FF, 160TCC or 155TCC to SBIG STL Series CCD camera with 8-position filter wheel. Includes four 6-32x1/2" screws.	104	125
ADATCCCEOS	SLR Camera Adapter (35mm and digital) with large 1.875" (47.6mm) diameter EOS bayonet for Canon auto-focus EOS SLR cameras. To be used with 175FF, 160FF, 175TCC, 160TCC and 155TCC only. Minimizes vignetting on full frame chips by eliminating T-thread interface and provides perfect spacing for these Field Flatteners and Telecompressor-Correctors. NOT for Canon manual-focus 35mm cameras.	226	272
ADATCCNIK	Nikon Camera Adapter with 1.875" (47.6mm) Diameter Stainless Steel Bayonet - for use with the 175FF, 160FF, 13035FF and the 175TCC, 160TCC, 155TCC and all QUADTCC Telecompressor Correctors.	226	272
DSLR25EOS	Canon EOS Wide-Mouth Adapter for the 92FF and 92TCC and large 1.875" (47.6mm) diameter EOS bayonet to minimize full-frame sensor vignetting. This is a DoveLoc accessory and must be used with the 92mmf66 Stowaway or with either 2525EC or 2725EC	226	272
DSLR25NIK	Nikon Wide-Mouth Adapter for the 92FF and 92TCC and large 1.875" (47.6mm) diameter EOS bayonet to minimize full-frame sensor vignetting. This is a DoveLoc accessory and must be used with the 92mmf66 Stowaway or with either 2525EC or 2725EC	226	272
AP16T	2"/T-2 Tapered Nosepiece for CCD Cameras, SBIG ST7, Baader Planetarium Giant Binocular Viewer or any item with T-2 threads. Fits into 2" openings, 48mm filter threads, I.D.painted flat-black. Compatible with all compression/locking rings.	86	103
CCDT67	CCD Telecompressor for SBIG CCD Cameras. Clear aperture is 1.75". Compression ratio is 0.67x with SBIG ST7/8/10 + Color Filter Wheel installed, 0.75x without the Color Filter Wheel. Suitable for telescopes with focal lengths of f7 to f18 including Maksutov	226	272
QUADTCC	0.72x Quad Telecompressor Corrector (order appropriate backfocus spacer extension) (formerly sold with backfocus spacer)	2026	2432

S35RFAA	3.5" Rotating Focuser Accessory Adapter. Required for QUADTCC for TEC Refractors	169	202
	Focuseurs, adaptateurs mécaniques, tubes allonges		
27FOC3E-FT	2.7" Focuser with Feather Touch Micro 9:1 Dual-Speed Knobs, greaseless drawtube with mm focusing scale, includes 2" and 1.25" adapters	1653	1984
27FTMU	Feather Touch Micro Upgrade for 2.7" and Traveler Focusers, can only be retrofit on to Astro-Physics refractors and focusers shipped since July 2001. We will ask for the serial number to be sure. Please read product description carefully to see which pre	822	987
35FOCER3-FT	3.5" Rotating Focuser with FeatherTouch Micro 9:1 Dual-Speed, includes 2.7"/2"/1.25" Adapters. Upgrade for 130 StarFire GT "Gran Turismo"	2213	2655
S35FOCER-FT	3.5" Rotating Focuser with FeatherTouch Micro 9:1 Dual-Speed, Includes Endcap, no adapters. Part # A5012 (3.5" to 2.7" adapter) purchased separately. 2" and 1.25" adapter can be swapped from previous focuser.	2048	2457
A5071	3.5" Focuser Drawtube Dust Cap	43	51
4FTMU	Feather Touch Micro Assembly Upgrade for Astro-Physics 4" Focusers with Stepped Pinion Block. Please read product description carefully to see which previous focusers can be upgraded	744	893
A1005	2.7" Threaded Cover (for Female Threads). Fits 2.7" Drawtube, 27TVPH, and all other accessories with 2.7" female threads)	60	72
A1025-B	Adapter to use 2.7" Focuser - 2.7" overall length (between focuser adapter and focuser)	137	165
A2558	2" Nosepiece with 2.156" Threads for QSI and SBIG CCD Cameras and 48mm Filter Threads.	93	111
A3512-A	Adapter to attach QSI's 500 Series WSG Cameras to Astro-Physics 2.7" and 4" Prime Focus Field Flatteners	119	143
ADA27-2156	Step-Down Adapter with 2.7" male threads to 2.156" male threads	86	103
ADA27-42	Step-Down Adapter with 2.7" male threads to 42mm male threads	112	135
ADA27-48	Step-Down Adapter with 2.7" male threads to 48mm male threads	112	135
ADA27-48ST	Step-Down Adapter with 2.7" Male Threads to 48mm Male Threads for 92mm Stowaway	149	179
ADA27-54	Step-Down Adapter with 2.7" Male Threads to 54mm Male Threads	112	135
ADA27-54ST	Step-Down Adapter with 2.7" Male Threads to 54mm Male Threads for 92mm Stowaway	149	179
ADA27-68	Step-Down Adapter with 2.7" Male Threads to 68 mm Male Threads	112	135
ADA27-68ST	Step-Down Adapter with 2.7" Male Threads to 68mm Male Threads for 92mm Stowaway	149	179
ADA327-27	Allows 2.7" accessories to be attached to the 3.27" threads of CCD Flatteners & Telecompressor Correctors (ADA327-27) Allows 2.7" accessories to be attached to the 3.27" threads of CCD Flatteners & Telecompressor Correctors	114	136
ADA327-27- L	Allows 2.7" Accessories to be Attached to the 3.27" Threads of 110FF and 110TCC with ZWO Cameras	139	166
ADA327-48	Step-Down Adapter from 3.27" to 48mm for CMOS or CCD	122	146
ADA327-54	Step-Down Adapter from 3.27" to 54mm for CMOS or CCD	122	146
ADA327-68	Step-Down Adapter from 3.27" to 68mm for CMOS or CCD	122	146
EXT27-15.2	15.2mm Extension for 2.7" Thread (formerly A3505)15.2mm Extension for 2.7" Thread (formerly A3505)	69	83
EXT27-19.1	19.1mm Extension for 2.7" Thread (formerly A3503-A)	69	83
EXT27-22.9	22.9mm Extension for 2.7" Thread (formerly A3506)	69	83
EXT27-27.0	27.0mm Extension for 2.7" Thread	76	91
EXT27-31.8	31.8mm Extension for 2.7" Thread (formerly A3504-A)	76	91
EXT27-44.5	44.5mm Extension for 2.7" Thread (formerly A3502-A)	76	91
EXT27-64.8	64.8mm Extension for 2.7" Thread (formerly A1008-A)	93	111
EXT327-14.7	14.7 mm Backfocus Spacer Extension for 110TCC, 3.27" Thread	119	143
EXT327-16.0	16.0 mm Backfocus Spacer Extension for QUADTCC, 3.27" Thread (formerly A5023)	119	143
EXT327-17.0	17.0 mm Backfocus Spacer Extension for QUADTCC, 3.27" Thread (formerly A5022)	119	143
EXT327-18.3	18.3 mm Backfocus Spacer Extension for QUADTCC, 3.27" Thread (formerly A2680)	119	143
EXT327-22.1	22.1mm Backfocus Spacer Extension for QUADTCC, 3.27" Thread (formerly A5020)	119	143

EXT327-34.1	34.1 mm Backfocus Spacer Extension for QUADTCC, 3.27" Thread (formerly A2681)	128	154
A3512-A	Adapter to attach QSI's 500 Series WSG Cameras to Astro-Physics 2.7" and 4" Prime Focus Field Flatteners	119	143
EXT48-12.7	2" Nosepiece Extension with 48mm Threads (formerly A3703)	77	92
ADA125	1.25" Adapter with Brass Locking Ring	80	96
ADA2003A	2" Adapter with Brass Locking Ring and Three Custom Machined 1/4-28 x 0.8" Thumbscrews	119	143
ADA20132	Thin 2" Adapter with brass locking ring and 3 large thumbscrews. Use when you need 11/32" more in-travel. Threads into drawtube of 2.7" or adapter of 4" focuser.	104	125
ADA202	2" Extension Tube with brass locking ring, 1.75" long, 48mm threads (this is also part of our Convertible Barlow)	112	135
ADA204	2" Adapter to use SCT accessories, threads into drawtube of 2.7" Focuser and Traveler, has SCT threads on accessory side, ideal for securing the Adaptive Optics (AO) from SBIG. Also threads into adapter of 4" Focuser.	68	81
ADA35DL-27	3.5" Focuser Doveloc to 2.7" Female Thread Adapter. Net Spacing Distance: 0.281" (7.14mm) (formerly A5012)	114	136
ADA435	4" to 3.5" Adapter with Thumbscrews for 4" Focuser to use QUADTCC	204	245
ADA4F-35F	Allows the 3.5" Focuser to be installed on Starfire 155 & Starfire 180 in place of 4" Focusers	131	157
ADASCT	2" Visual back threads onto 9.25" or smaller SCT standard rear cell. Use with 2" accessories that slip in, i.e. 2" diagonal, Barlow or 2" eyepiece. Features brass locking ring. Also fits DayStar T-Scanner cover that has male T-thread.	NC	NC
ADASCTLC	2" Visual back threads onto the 3.25" rear cell of the Celestron 11" or 14" SCTs. Use with 2" accessories that slip in, i.e. 2" diagonal, Barlow or 2" eyepiece, Baader FFC Barlow, CCD camera. Features brass locking ring and 3 large thumbscrews.	119	143
ADASCTLC27	2.7" Adapter-threads onto 3.25" rear cell of 11", & 14" Celestron SCTs to use Astro-Physics 2.7" Accessories, i.e. 2.7" Telecompressor (27TVPH) and various extensions with the same thread.	137	165
ADASCTLM	2" Visual back threads onto 3.25" rear cell of the 10" or larger Meade SCTs. Use with 2" accessories that slip in, i.e., 2" Diagonal, Barlow or 2" eyepiece, Baader FFC Barlow, CCD camera. Features brass locking ring and 3 large thumbscrews. (also sold as	119	143
ADASCTLM27	2.7" Adapter-threads onto 3.25" back of most 10+" Meade SCTs to use Astro-Physics 2.7" Accessories, i.e. 2.7" Telecompressor (27TVPH) and various extensions with the same thread.	137	165
EXTTLR	2" Extension tube with brass locking ring, 3.6" long	NC	NC
SRSET-27	2.7" Spacer Rings , 1mm Thick, Set of 3 Rings	48	58
SRSET-327	3.27" Spacer Rings , 1mm Thick, Set of 3 Rings (formerly A5025SET)	48	58
I27FOC3E-FT	Internal Threaded 2.7" Focuser with Feather Touch Micro 9:1 Dual-Speed Knobs, greaseless drawtube with mm focusing scale, includes 2" and 1.25" adapters. Can be used as a replacement for Traveler Focuser (NOTE: It is engraved with "Astro-Physics", but not "Traveler")	1653	1984
S35RFAA	3.5" Rotating Focuser Accessory Adapter. Required for QUADTCC for TEC Refractors	169	202