

WWW.OVISION.COM

FLI CAMERA

**OPTIQUE&VISION 6 avenue de l'esterel 06160 JUAN LES PINS
France tel 04.93.61.18.83**

tarif 2021-01

vente HT €

vente TTC €

class	Model	Description	Shutter		
Kepler	KL6060 BI G1	GSense6060 back-illuminated Grade 1	None	169791	203749
Kepler	KL6060 BI G1 90mm shutter	GSense6060 back-illuminated Grade 1 with 90mm shutter	None	175323	210387
Kepler	KL6060 BI G2	GSense6060 back-illuminated Grade 2	None	118391	142069
Kepler	KL6060 BI G2 90mm shutter	GSense6060 back-illuminated Grade 2 with 90mm shutter	90mm	123922	148707
Kepler	KL6060 FI G0	Gsense6060 front illuminated grade 0	None	91442	109731
Kepler	KL6060 FI G0 90mm shutter	Gsense6060 front illuminated grade 0 with 90mm shutter	90mm	96827	116193
Kepler	KL6060 FI G1	Gsense6060 front illuminated grade 1	None	45500	54600
Kepler	KL6060 FI G1 90mm shutter	Gsense6060 front illuminated grade 1 with 90mm shutter	90mm	51032	61238
Kepler	KL6060 FI G2	Gsense6060 front illuminated grade 2	None	38338	46006
Kepler	KL6060 FI G2 90mm shutter	Gsense6060 front illuminated grade 2 with 90mm shutter	90mm	43870	52644
Kepler	Spare - KL 90mm shutter	90mm shutter	90	5456	6547
Kepler		KL4040s cannot be sold for electron microscopy.			
Kepler	KL4040-CMT G1	Gsense4040 CMT front illuminated grade 1	None	16222	19466
Kepler	KL4040-CMT G1 65mm	Gsense4040 CMT front illuminated grade 1 65mm	65	17592	21111
Kepler	KL4040-CMT G2	Gsense4040 CMT front illuminated grade 2	none	15722	18867
Kepler	KL4040-CMT G2 65mm	Gsense4040 CMT front illuminated grade 2 65mm	65	17093	20512
Kepler		CMT=Microlensed with sealed cover glass.			
Kepler	KL4040-CMN G1	Gsense4040 CMN front illuminated grade 1 non- microlensed	None	16222	19466
Kepler	KL4040-CMN G2	Gsense4040 CMN front illuminated grade 2 non- microlensed	none	15722	18867
Kepler		CMN=Non-Microlensed with removable cover glass.			
Kepler	KL400 SG TVISB G1	Gsense400 back illuminated Special Grade TVISB grade 1	None	17788	21346
Kepler	KL400 SG TVISB G1 25mm	Gsense400 back illuminated Special Grade TVISB grade 1 with 25mm shutter	25	18571	22286
Kepler	KL400 TVISB G1	Gsense400 back illuminated TVISB grade 1	None	21244	25493
Kepler	KL400 TVISB G1 45mm	Gsense400 back illuminated TVISB grade 1 45mm shutter	45	22218	26662
Kepler	KL400 TVISB G2	Gsense400 back illuminated TVISB grade 2	None	18278	21933
Kepler	KL400 TVISB G2 45mm	Gsense400 back illuminated TVISB grade 2 45mm shutter	45	19252	23102
Kepler	KL400 UV G1	Gsense400 back illuminated UV grade 1	None	20236	24283
Kepler	KL400 UV G1 45mm	Gsense400 back illuminated UV grade 1 45mm shutter	45	21210	25452

Kepler	KL400 UV G2	Gsense400 back illuminated UV grade 2	None	17230	20676
Kepler	KL400 UV G2 45mm	Gsense400 back illuminated UV grade 2 45mm shutter	45	18204	21845
Kepler	KL400 FI G1	Gsense400 front illuminated grade 1 (non-microlensed)	None	12212	14655
Kepler	KL400 FI G1 45mm	Gsense400 front illuminated grade 1 with 45mm shutter	45	13187	15824
Kepler	KL400 FI G2	Gsense400 front illuminated grade 2 (non-microlensed)	None	11204	13445
Kepler	KL400 FI G2 45mm	Gsense400 front illuminated grade 2 with 45mm shutter	45	12178	14614
		Camera prices include power supply, USB3 cable, Pilot software, Windows SDK, Linux SDK			
Kepler	ADT	Addition of Anti-Dew Technology	0	408	490
Kepler	KITS	Kepler Image Time Stamp	0	1064	1277
Kepler	KL LC Connector Kit	Kepler Liquid Circulation Dry Disconnect Connector Kit	0	433	519
Kepler	QSFP Interface for Kepler (V2)	QSFP transceivers, fiber, and PCIE board	0	3512	4214
Kepler	PS-EU-2.4	Power brick w/ 2.4m cord to camera; 1.8m Euro line cord (Type C)	0	278	334
Kepler	Spare/KL 45mm shutter	45mm high speed shutter	45	1162	1394
Kepler	Spare/KL 65mm shutter	65mm high speed shutter	65	1598	1917
ProLine	PL23042-BB G1	CCD230-42-1-E10 Back illuminated broadband	65	45935	55122
ProLine	PL23042-MB G0	CCD230-42-1-143 back illuminated midband Grade 0	65	54255	65106
ProLine	PL23042-MB G1	CCD230-42-1-143 back illuminated midband	65	45935	55122
ProLine	ADT	Addition of Anti-Dew Technology	0	424	509
ProLine	LC DD	Liquid Circulation -- Dry Disconnect	0	623	748
ProLine	Spare/PL 65mm shutter	65mm high speed shutter	65	1598	1917
ProLine	Short Cable Kit	24" cable kit (power and USB from ProLine to FLI accessory)	0	118	142
ProLine	Medium Cable Kit	24" cable kit (power and USB from ProLine to FLI accessory)	0	129	155
ProLine	PS-AU-1.2	Power brick w/ 1.2m cord to camera; 2.4m Australia/China line cord (Type I)	0	196	235
ProLine	PS-EU-1.2	Power brick w/ 1.2m cord to camera; 2.4m Euro line cord (Type E)	0	196	235
ProLine	PS-JA-2.4	PSE Japan Power brick w/ 2.4m cord to camera; 2.5m line cord (Type B)	0	348	418
ProLine	PS-NA-1.2	Power brick w/ 1.2m cord to camera; 1.95m North American line cord (Type B)	0	196	235
ProLine	PS-UK-1.2	Power brick w/ 1.2m cord to camera; 2.4m UK line (Type G)	0	196	235
MicroLine	ML23042-BB G1	CCD230-42-1-E10 back illuminated broadband with shutter	65	44212	53055
MicroLine	ML23042-MB G1	CCD230-42-1-143 back illuminated midband with shutter	65	44212	53055
MicroLine	ML23042-MB G1 58mm	CCD230-42-1-143 back illuminated midband with 58mm shutter	58	44212	53055
MicroLine	ML23042-MB G1 58mm Cu Heatsink	CCD230-42-1-143 back illuminated midband with 58mm shutter, Copper HS	58	44751	53701
MicroLine	ML4240-MB G1	CCD42-40-1-368 back illuminated midband with 45mm high speed shutter	45	41628	49953
MicroLine	ML4710-AM G1	CCD47-10-1-197 BI Astro Multi-2 deep depletion (NIMO) with 25mm high speed shutter	25	18774	22529
MicroLine	ML4710-BB G1	CCD47-10-1-371 BI broadband with 25mm high speed shutter	25	16211	19454
MicroLine	ML4710-BB G1 Cu	CCD47-10-1-371 BI broadband with 25mm high speed shutter (Copper Heatsink)	25	16750	20100
MicroLine	ML4710-DD G1	CCD47-10-1-109 deep depletion (NIMO) with 25mm high speed shutter	25	18209	21851

MicroLine	ML4710-DD G1 Cu	CCD47-10-1-109 BI deep depletion (NIMO) with copper heatsink	25	18748	22497
MicroLine	ML4710-MB G0	CCD47-10-0-353 BI midband with 25mm high speed shutter (Grade 0)	25	18371	22045
MicroLine	ML4710-MB G1	CCD47-10-1-353 BI midband with 25mm high speed shutter	25	16211	19454
MicroLine	ML4710-MB G1 45mm	CCD47-10-1-353 midband with 45mm high speed shutter	45	16486	19783
MicroLine	ML4710-MB G1 Cu	CCD47-10-1-353 BI midband with 25mm high speed shutter (Copper Heatsink)	25	16750	20100
MicroLine	ML4710-UV G1	CCD47-10-1-373 BI UV with 25mm high speed shutter, Fused Silica	25	18473	22168
MicroLine	ML4720-BB	CCD47-20-1-331 AIMO back illuminated broadband (no shutter)	None	20627	24752
MicroLine	ML4720-BB 25mm	CCD47-20-1-331 AIMO back illuminated broadband with 25mm shutter	25	21488	25786
MicroLine	ML4720-MB	CCD47-20-1-339 AIMO back illuminated midband (no shutter)	None	20627	24752
MicroLine	ML4720-MB 25mm	CCD47-20-1-339 AIMO back illuminated midband with 25mm shutter	25	21488	25786
MicroLine	MLx285	Sony ICX285 (no shutter)	None	5684	6821
MicroLine	MLx285 25mm	Sony ICX285 with 25mm shutter	25	6546	7855
MicroLine	MLx695	Sony ICX695 (no shutter)	None	6470	7764
MicroLine	MLx695 25mm	Sony ICX695 with 25mm shutter	25	7332	8798
MicroLine	ADT	Addition of Anti-Dew Technology	0	440	528
MicroLine	Spare/ML 25mm shutter	25mm high speed shutter	25	952	1142
MicroLine	Spare/ML 45mm shutter	45mm high speed shutter	45	1162	1394
MicroLine	Spare/ML 65mm shutter	65mm high speed shutter	65	1678	2013
CFW	CFW2-7	7 position CFW (for 2" or 50mm diameter filters)	0	1624	1949
CFW	CFW5-7	7 position CFW (for 50mm square filters)	0	2055	2466
CFW	CFW9-5	5 position CFW (for 65mm square filters)	0	2378	2853
CFW	CL-1-10	10 position CFW (for 50mm square filters)	0	2965	3558
CFW	Short Cable Kit	12" cable kit (power and USB from ProLine to FLI accessory)	0	118	142
CFW	Medium Cable Kit	24" cable kit (power and USB from ProLine to FLI accessory)	0	129	155
CFW	PS-AC	Power supply unit for Atlas, PDF, Color filter wheels (not HS)	0	118	142
Adapter	AD21	ProLine / ML65 Nikon Lens Adapter	0	284	341
Adapter	AD27	MicroLine with short back focal distance to Nikon lens Adapter	0	284	341