















**BIOLOGICAL MICROSCOPES SERIES DIGITAL  
MICROSCOPI BIOLOGICI SERIE DIGITAL**

	<b>Code</b>	<b>Items</b>	<b>Type</b>	<b>Description &amp; Accessories</b>	<b>Public Price</b>
	10MDM2	MB.120.38	 8 058450 362645	Digital Microscopes 10x-100x Zoom, CCD – Cmos ¼" 640X480 pixels. Microscopio digitale 10x-100x zoom, CCD-Cmos ¼" 640x480 pixels.	<b>178 €</b>
	10MDM5	MB.219.38	 8 058450 362201	MicroSC. 400X, objective DIN 4x,10x, 40x, micro/macro focuser, obj. WF10x/16 mm – 800X600 pixels, Output USB port, illumination by LED with brightness control MicroSC. 400X, obbiettivi DIN 4x, 10x, 40x, messa a fuoco micro e macro, obb. WF10x/16mm – 800x600 pixel, uscita porta USB, illuminazione a LED con potenziometro	<b>329 €</b>
	10MDM10	MB.477.38	 8 058450 362218	MicroSC. 400X, objective DIN 4x,10x, 40x, micro/macro coaxial focuser, obj. WF10x/18 mm – 800X600 pixels, Output USB port, illumination by LED with brightness control, coaxial mechanical stage. MicroSC. 400X, obbiettivi DIN 4x, 10x, 40x, messa a fuoco coassiale micro e macro, obb. WF10x/18mm – 800x600 pixel, uscita porta USB, illuminazione a LED con potenziometro, tavolino traslatore coassiale	<b>715 €</b>
	10MDM15	MB.1000.38	 8 058450 362225	Microsc. 1000X, objective DIN 4x,10x, 40x, 100x (oil) micro/macro coaxial focuser, obj. WF10x/20 mm – 1600X1200 pixels 2.0 M, Output USB port, illumination by LED with brightness control, coaxial mechanical stage, software. Microsc. 1000X, obbiettivi DIN 4x, 10x, 40x, 100x (oil) messa a fuoco coassiale micro e macro, obb. WF10x/20mm – 1600x1200 pixel 2.0 M, uscita porta USB, illuminazione a LED con potenziometro, tavolino traslatore coassiale, software.	<b>1500 €</b>
	10MDM20	MB.1212.38	 8 058450 362232	Microsc. 1000X, objective PLAN 4x,10x, 40x, 100x (oil) micro/macro coaxial focuser, obj. WF10x/20 mm – 2048X1536 pixels 3.2 M, Output USB port, illumination by LED with brightness control, coaxial mechanical stage, software. Microsc. 1000X, obbiettivi PLAN 4x, 10x, 40x, 100x (oil) messa a fuoco coassiale micro e macro, obb. WF10x/20mm – 2048x1536 pixel 3.2 M, uscita porta USB, illuminazione a LED con potenziometro, tavolino traslatore coassiale, software.	<b>1790 €</b>
	10MDM25	MB.1215.38	 8 058450 362652	Microsc. 1000X, objective PLAN 4x,10x, 40x, 100x (oil) micro/macro coaxial focuser, obj. WF10x/20 mm – 2048X1536 pixels 3.2 M, Output USB port, illumination by LED with brightness control, coaxial mechanical stage, software. Microsc. 1000X, obbiettivi PLAN 4x, 10x, 40x, 100x (oil) messa a fuoco coassiale micro e macro, obb. WF10x/20mm – 2048x1536 pixel 3.2 M, uscita porta USB, illuminazione a LED con potenziometro, tavolino traslatore coassiale, software.	<b>1810 €</b>















**SCOOOL AND PROFESSIONAL BIOLOGICAL MICROSCOPES  
MICROSCOPI BIOLOGICI PROFESSIONALI E DIDATTICI**











	Code	Items	Type	Description & Accessories	Public Price
	10MB20	MB.97.37		<b>MicroSC. 400X, objective DIN 4x,10x, 40x, micro/macro focuser, obj. WF10x/16 mm, machanical stage included.</b> MicroSC. 400X, obbiettivi DIN 4x, 10x, 40x, messa a fuoco micro e macro, obb. WF10x/16mm, tavolino traslatore incorporato	<b>145 €</b>
	10MB20S	MB.125.37		<b>MicroSC. 400X, objective DIN 4x,10x, 40x, micro/macro focuser, obj. WF10x/16 mm, machanical stage included, powered by solar panel ONLY</b> MicroSC. 400X, obbiettivi DIN 4x, 10x, 40x, messa a fuoco micro e macro, obb. WF10x/16mm, tavolino traslatore incorporato, alimentazione SOLO con pannello solare	<b>198 €</b>
	10M110	MB.125.45		<b>Microscope Monocular 400x, eyepieces WA 10x/18 mm, Objective 4x/0,1, 10x/0,25, 40x/0,65, Micro/Macro focuser, A.N. 0,65 condenser, illumination 5W</b> Microscopio monolare 400x, oculari WA 10x/18 mm, obbiettivi 4x/0,1, 10x/0,25, 40x/0,65, condensatore a iride N.A. 0,65, luce fluorescente da 5W.	<b>185 €</b>
	10M126	MB.208.45		<b>Microscope Monocular 400x, eyepieces WA 10x/18 mm, Objective 4x/0,1, 10x/0,25, 40x/0,65, Micro/Macro Coaxial focuser, A.N. 1,25 condenser, illumination 5W LED with rechargeable battery</b> Microscopio monolare 400x, oculari WA 10x/18 mm, obbiettivi 4x/0,1, 10x/0,25, 40x/0,65, messa a fuoco coassiale Micro/Macro, condens. a iride N.A. 1,25, luce fluorescente da 5W LED con batteria ricaricabile.	<b>312 €</b>
	10M131	MB.270.45		<b>Microscope binocular 400x, eyepieces WA 10x/18 mm, Objective 4x/0,1, 10x/0,25, 40x/0,65, Micro/Macro Coaxial focuser, A.N. 1,25 condenser, illumination 5W LED with rechargeable battery</b> Microscopio binolare 400x, oculari WA 10x/18 mm, obbiettivi 4x/0,1, 10x/0,25, 40x/0,65, messa a fuoco coassiale Micro/Macro, condens. a iride N.A. 1,25, luce fluorescente da 5W LED con batteria ricaricabile.	<b>396 €</b>
	10M165	MB.265.45		<b>POLARIZED monocular microscope 400x, eyepieces WA 10x/18 mm, Objective 4x, 10x, 40x, Micro/Macro Coaxial focuser, A.N. 1,25 condenser, illumination 20W/6V</b> Microscopio POLARIZZATORE monolare 400x, oculari WA 10x/18 mm, obbiettivi 4x, 10x, 40x, messa a fuoco coassiale Micro/Macro, condens. a iride N.A. 1,25, luce fluorescente da 20W / 6V.	<b>398 €</b>
	10M181	MB.275.46		<b>Microscope Monoc. 1000x, 360° rotating head 45°, eyepieces WA 10x/18 mm, Objective 4x, 10x, 40x, 100x, Micro/Macro Coaxial focuser and mechanical stage, condenser, illumination by LED 220V/50Hz with brightness control</b> Microscopio Monolare 1000x, , oculari WA 10x/18 mm, obb. 4x/, 10x, 40x, 100x, messa a fuoco e tavolino traslatore coassiali Micro/Macro, condens. a iride, illuminazione con LED a 220V/50Hz con variatore di intensità	<b>410 €</b>

	10M191	MB.240.44		<p>Microscope Monocular 1000x, 360° rotating head 30°, eyepieces WA 10x/18 mm, Objective 4x, 10x, 40x, 100x, Micro/Macro Coaxial focuser and mechanical stage, condenser, illumination by LED 100/240V-50/60Hz (7,5 Vdc exit)with brightness control</p> <p>Microscopio Monoculare. 1000x, testa rotabile 360° a 30°, oculari WA 10x/18 mm, obb. 4x/, 10x, 40x, 100x, messa a fuoco e tavolino traslatore coassiali Micro/Macro, condens. a iride, illuminazione con LED a 100/240V-50/60Hz con variatore di intensità (uscita 7,5Vdc)</p>	<b>360 €</b>
	10M192	MB.320.44		<p>Microscope Binocular 1000x, 360° rotating head 30°, eyepieces WA 10x/18 mm, Objective 4x, 10x, 40x, 100x, Micro/Macro Coaxial focuser and mechanical stage, quadruple nosepiece, condenser, illumination by LED 100/240V – 50/60Hz with brightness control (7,5 Vdc extit)</p> <p>Microscopio Binoculare. 1000x, testa rotabile 360° a 30°, oculari WA 10x/18 mm, obb. 4x/, 10x, 40x, 100x, messa a fuoco e tavolino traslatore coassiali Micro/Macro, revolver quadruplo, condens. a iride, illuminazione con LED a 100/240V-50/60Hz con variatore di intensità (uscita 7,5 Vdc)</p>	<b>480 €</b>
	10M352B	MB.396.47		<p>Binocular 1000x, eyepieces WA 10x/20 mm, Objective Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 160x142 coaxial mechanical stage, Micro/Macro coaxial focuser, ABBE condenser, white LED with brightness control, revolver for 5 eyepieces.</p> <p>Binoculare 1000x, oculari WA 10x/20 mm, obbiettivi Acromatici 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 160x142, messa a fuoco Micro/Macro coassiale, condensatore Abbe, luce LED con controllo luminosità, torretta a 5 oculari.</p>	<b>595 €</b>
	10M352BPL	MB.510.47		<p>Binocular 1000x, eyepieces WA 10x/20 mm, Objective PLAN Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 160x142 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, white LED, brightness control, revolver for 5 eyepieces.</p> <p>Binoculare 1000x, oculari WA 10x/20 mm, obbiettivi PLAN Acromatici 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 160x142, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, luce LED, controllo luminosità, torretta per 5 oculari.</p>	<b>765 €</b>
	10M353T	MB.446.47		<p>Trinocular 1000x, eyepieces WA 10x/20 mm, Objective Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 160x142 coaxial mechanical stage, Micro/Macro coaxial focuser, ABBE condenser, white LED with brightness control.</p> <p>Trinoculare 1000x, oculari WA 10x/20 mm, obbiettivi Acromatici 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 160x142, messa a fuoco Micro/Macro coassiale, condensatore Abbe, luce LED con controllo luminosità</p>	<b>669 €</b>
	10M353TPL	MB.560.47		<p>Trinocular 1000x, eyepieces WA 10x/20 mm, Objective PLAN Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 160x142 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, white LED, brightness control.</p> <p>Trinoculare 1000x, oculari WA 10x/20 mm, obbiettivi PLAN Acromatici 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 160x142, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, luce LED, controllo luminosità</p>	<b>840 €</b>
	10M500BPL	MB.840.48		<p>Binocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, halogen 20W dichroic bulb</p> <p>Trinoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, lampada dicroica 20W</p>	<b>1260 €</b>









	10M500TPL	MB.920.48	 8 058450 362393	Trinocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, white LED, halogen 50W dichroic bulb Trinoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, lampada dicroica 50W	<b>1380 €</b>
	10M500TPH Phase contrast	MB.1507.48	 8 058450 362409	Trinocular 1000x, kit phase contrast, eyepieces WA 10x/22 mm, Objective PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, white LED, halogen 50W dichroic bulb Trinoculare 1000x, kit contrasto di fase, oculari WA 10x/22 mm, obbiettivi PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, lampada dicroica 50W	<b>2250 €</b>
	10M600BPL	MB.1150.48	 8 058450 362416	Binocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, halogen 50W dichroic bulb Binoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, lampada dicroica 50W	<b>1725 €</b>
	10M600TPL	MB.1310.48	 8 058450 362423	Trinocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, halogen 50W dichroic bulb Trinoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, lampada dicroica 50W	<b>1960 €</b>
	10M600BPI	MB.1390.48	 8 058450 362430	Binocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN <b>IOS</b> Achromatic 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, external halogen 50W dichroic bulb Binoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN <b>IOS</b> 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, luce LED, controllo luminosità	<b>2080 €</b>
	10M600TPI	MB.1570.48	 8 058450 362447	Trinocular 1000x, eyepieces WA 10x/22 mm, Objective PLAN <b>IOS</b> 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, oil immersion, 175x145 coaxial mechanical stage, Micro/Macro coaxial focuser, revolver quintuple, ABBE condenser, external halogen 50W dichroic bulb Trinoculare 1000x, oculari WA 10x/22 mm, obbiettivi PLAN <b>IOS</b> 4x/0,1, 10x/0,25, 40x/0,65, 100x/1,25, tavolino traslatore coassiale 175x145, messa a fuoco Micro/Macro coassiale, revolver quituplo, condensatore Abbe, luce LED, controllo luminosità	<b>2350 €</b>



























**STEREO MICROSCOPES  
MICROSCOPI STEREOSCOPICI**

	Code	Items	Type	Description & Accessories	Public Price
	11MSTX	SM.40.50	 8 058450 361594	Stereo Microscopes 20X, fixed-vertical head with incident Microscopio stereoscopico 20X, testata fissa e luce incidente	<b>65 €</b>
	11M10L	SM.70.50	 8 058450 362454	Stereo Microscopes 20X, fixed-vertical head with incident Microscopio stereoscopico 20X, testata fissa e luce incidente	<b>105 €</b>
	11M302LF	SM.105.51	 8 058450 362478	Stereo Microscopes 20-40X, head inclined 45° w/incident/trsmited, incident and trasmited light Microscopio 20-40X, testa a 45° e luce incidente e trasmessa.	<b>157 €</b>
	11M302Led	SM.130.51	 8 058450 362461	Stereo Microscopes 20-40X, head inclined 45° w/incident/trsmited LED light. Microscopio 20-40X, testa a 45° e luce incidente e trasmessa LED	<b>190 €</b>
	11M402Led	SM.120.51	 8 058450 363864	Stereo Microscopes 20-40X, rotatine 360°, inclined 45° w/incident/trsmited LEDS light w/rechargable battery Microscopio 20-40X, testa ruotante 360°, a 45° e luce incidente e trasmessa a <b>LED con batterie ricaricabili</b>	<b>180 €</b>
	11M452L	SM.155.51	 8 058450 362485	Stereo Microscopes 20-40X, rotatine 360°, inclined 45° w/incident/trsmited HALOGEN w/brightness control Microscopio 20-40X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA intensità regolabile	<b>230 €</b>
	11MLAB1	SM.182.53	 8 058450 362492	Stereo Microscopes 20-40X, rotatine 360°, inclined 45° w/incident/trsmited ALOGEN Microscopio 20-40X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA	<b>270 €</b>

	11MLAB2	SM.298.53		Stereo Microscopes ZOOM - 10-40X, rotatine 360°, inclined 45° w/incident /trsmited ALOGEN 12V/10W Microscopio stereo ZOOM - 10-40X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA 12V/10W	<b>445 €</b>
	11M050	SM.180.52		Stereo Microscopes 20X, inclined head, incident light Microscopio stereoscopico 20X, con base a sbalzo e luce incidente	<b>270 €</b>
	11MSZM2	SM.450.54		Stereo Microscopes ZOOM - 7,50-45X, rotatine 360°, inclined 45° w/incident /trsmited ALOGEN 12V/15W Microscopio stereo ZOOM - 7,5-45X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA 12V/15W	<b>680 €</b>
	11MSZM4	SM.680.54		Stereo Microscopes ZOOM - 7,50-45X, rotatine 360°, inclined 45° w/incident /trsmited ALOGEN 12V/15W, with overhanging base (42 cm high, 45 cm arm lenght) Microscopio stereo ZOOM - 7,5-45X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA 12V/15W, con stativo a colonna regolabile (42 cm, 45 cm braccio)	<b>1030 €</b>
	11MSZMD	SM.657.54		Stereo Microscopes ZOOM - 7,50-45X, rotatine 360°, inclined 45° w/incident /trsmited ALOGEN 12V/15W, cmos 1/2" 1280 x 1024 pixels (1.3 M pixels) Microscopio stereo ZOOM - 7,5-45X, testa ruotante 360°, a 45° e luce incidente e trasmessa ALOGENA 12V/15W, CCD-Cmos 1/2" 1280x1024 1.3 Mpixels.	<b>1310 €</b>



























**ACCESSORIES FOR BIOLOGICAL MICROSCOPES  
CESSORI PER MICROSCOPI BIOLOGICI**

	Code	Items	Type - Series	Description & Accessories	Public Price
	30M001	MB.16.40		Eyepiece H5x Oculare H5x S/37/38/45/46/47	<b>25 €</b>
	30M002	MB.18.40		Eyepiece WF 10x/18 mm Oculare WF 10x/18 mm S/37/38/45/46	<b>29 €</b>
	30M003	MB.16.40		Eyepiece WF 16x/12 mm Oculare WF 16x/12 mm S/37/38/45/46	<b>25 €</b>
	30M004	MB.42.40		Micrometric Eyepiece WF 10x/18 mm Oculare micrometrico WF 10x/18 mm S/38/45/46	<b>68 €</b>

	30M005	MB.27.40		<b>Micrometric slide 26x76 mm 1 mm, div. 0,01 mm</b> Vettrino micrometrico 26x76 mm 1 mm, div. 0,01 mm <i>S/38/45/46/47/48</i>	<b>40 €</b>
	30M018	MB.7.40		<b>Fluorescent tube 5W</b> Lampada fluorescente da 5W <i>S/45</i>	<b>11 €</b>
	30M040	MB.24.40		<b>Mechanical stage</b> Tavolino traslatore <i>S/45</i>	<b>35 €</b>
	30M069	MB.33.40		<b>Recharged Lithium battery 2000 MapH</b> Batteria ai polimeri di Lito ricaricabile 2000 MapH <i>S/44/47</i>	<b>50 €</b>
	30M133	MB.28.40		<b>Acromatic Objective 20x</b> Obiettivo acromatico 20x <i>S/45</i>	<b>45 €</b>
	30M136	MB.46.40		<b>Acromatic Objective 100x oil immersion</b> Obiettivo acromatico 100x immersione olio <i>S/45</i>	<b>70 €</b>
	30M140	MB.37.40		<b>Kit for polarized light (Only filters)</b> Set per luce polarizzata (Solo filtri) <i>S/45</i>	<b>56 €</b>
	30M180	MB.37.40		<b>Kit for polarized light (only filter)</b> Set per luce polarizzata (solo filtri) <i>S/46</i>	<b>56 €</b>
	30M302	MB.28.40		<b>Eyepiece WF 16x</b> Oculare 16x <i>S/47</i>	<b>42 €</b>
	30M303	MB.40.40		<b>Micrometric Eyepiece EWF 10x/20mm</b> Oculare micrometrico EWF 10x/20mm <i>S/47</i>	<b>60 €</b>
	30M312	MB.34.40		<b>Acromatic Objective 20x</b> Obiettivo acromatico 20x <i>S/46/47</i>	<b>50 €</b>
	30M314	MB.45.40		<b>Acromatic Objective 60x</b> Obiettivo acromatico 60x <i>S/46/47</i>	<b>67 €</b>
	30M320	MB.15.40		<b>PLAN-Acromatic Objective 4x</b> Obiettivo PLAN-Acromatico 4x <i>S/47</i>	<b>23 €</b>












	30M321	MB.32.40	 8 058450 362829	PLAN-Acromatic Objective 10x Obiettivo PLAN-Acromatico 10x S/47	<b>48 €</b>
	30M322	MB.77.40	 8 058450 362836	PLAN-Acromatic Objective 20x Obiettivo PLAN-Acromatico 20x S/47	<b>115 €</b>
	30M323	MB.78.40	 8 058450 362843	PLAN-Acromatic Objective 40x Obiettivo PLAN-Acromatico 40x S/47	<b>120 €</b>
	30M324	MB.124.40	 8 058450 362850	PLAN-Acromatic Objective 60x Obiettivo PLAN-Acromatico 60x S/47	<b>187 €</b>
	30M325	MB.123.40	 8 058450 362867	PLAN-Acromatic Objective 100x Obiettivo PLAN-Acromatico 100x S/47	<b>185 €</b>
	30M330	MB.30.40	 8 058450 362874	PLAN-Acromatic Objective 4x IOS Obiettivo PLAN-Acromatico 4x IOS S/47	<b>45 €</b>
	30M331	MB.48.40	 8 058450 362881	PLAN-Acromatic Objective 10x IOS Obiettivo PLAN-Acromatico 10x IOS S/47	<b>72 €</b>
	30M332	MB.93.40	 8 058450 362898	PLAN-Acromatic Objective 20x IOS Obiettivo PLAN-Acromatico 20x IOS S/47	<b>139 €</b>
	30M333	MB.77.40	 8 058450 362904	PLAN-Acromatic Objective 40x IOS Obiettivo PLAN-Acromatico 40x IOS S/47	<b>115 €</b>
	30M334	MB.145.40	 8 058450 362911	PLAN-Acromatic Objective 100x IOS Obiettivo PLAN-Acromatico 100x IOS S/47	<b>218 €</b>
	30M340	MB.117.40	 8 058450 362928	PLAN-Acromatic Objective 10x for fase contrast Obiettivo PLAN-Acromatico 10x per contrasto di fase S/47	<b>176 €</b>

	30M341	MB.185.40		PLAN-Acromatic Objective 40x for fase contrast Obiettivo PLAN-Acromatico 40x per contrasto di fase S/47	<b>278 €</b>
	30M342	MB.231.40		PLAN-Acromatic Objective 100x for phase contrast Obiettivo PLAN-Acromatico 100x per contrasto di fase S/47	<b>347 €</b>
	30M350	MB.66.40		PLAN-Acromatic Objective 10x IOS for phase contrast Obiettivo PLAN-Acromatico 10x IOS per contrasto fase S/47	<b>100 €</b>
	30M351	MB.106.40		PLAN-Acromatic Objective 20x IOS for phase contrast Obiettivo PLAN-Acromatico 20x IOS per contrasto fase S/47	<b>160 €</b>
	30M352	MB.145.40		PLAN-Acromatic Objective 40x IOS for phase contrast Obiettivo PLAN-Acromatico 40x IOS per contrasto fase S/47	<b>217 €</b>
	30M353	MB.193.40		PLAN-Acromatic Objective 100x IOS for phase contrast Obiettivo PLAN-Acromatico 100x IOS per contrasto fase S/47	<b>289 €</b>
	30M360	MB.690.40		PLAN-Acromatic Objectives COMPLETE KIT (10x, 40x, 100x) for phase contrast with dark field condenser KIT COMPLETO Obiettivo PLAN-Acromatici (10x, 40x, 100x) contrasto fase con condensatore per campo scuro S/47	<b>1037 €</b>
	30M361	MB.767.40		PLAN-Acromatic & IOS Objectives COMPLETE KIT (10x, 20x, 40x, 100x) for phase contrast KIT COMPLETO contrasto di fase con obiettivo PLAN-Acromatici IOS (10x, 20x, 40x, 100x) S/47	<b>1150 €</b>
	30M362	MB.32.40		Polarized light kit (only filter) Kit per luce polarizzata (solo filtri) S/47	<b>48 €</b>
	30M363	MB.33.40		Rotating table for polarized light Tavolo rotante per luce polarizzata S/47	<b>50 €</b>
	30M364	MB.100.40		Dark field condenser Condensatore a campo scuro per obiettivi a secco S/47	<b>150 €</b>
	30M365	MB.55.40		Photo adapter for Reflex cameras Adattatore fotografico per Reflex S/47	<b>82 €</b>

	30M366	MB.36.40		Photo adapter for CCD Adattatore fotografico per CCD S/47	<b>55 €</b>
	30MTB2W 30MTB2L	MB.1111.40 MB.918.40		Personal Computer with integrated camera CCD 2 Mpixel 1600x1200, 10" touch screen, HD 160GB, Ram 1 GB, Bluetooth, SD card, LAN, 3 USB, Personal Computer esterno + CCD incorporato 2 Mpixels 1600x1200, 10" touch screen, HD 160GB, Ram 1GB, Bluetooth, LAN, 3 USB	<b>windows 1650 €</b> <b>Linux 1360 €</b>
	30M507	MB.30.40		PLAN-Acromatic Objective 4x Obiettivo PLAN-Acromatico 4x S/48	<b>46 €</b>
	30M508	MB.45.40		PLAN-Acromatic Objective 10x Obiettivo PLAN-Acromatico 10x S/48	<b>75 €</b>
	30M509	MB.102.40		PLAN-Acromatic Objective 20x Obiettivo PLAN-Acromatico 20x S/48	<b>153 €</b>
	30M510	MB.102.40		PLAN-Acromatic Objective 40x Obiettivo PLAN-Acromatico 40x S/48	<b>153 €</b>
	30M511	MB.145.40		PLAN-Acromatic Objective 60x Obiettivo PLAN-Acromatico 60x S/48	<b>230 €</b>
	30M512	MB.150.40		PLAN-Acromatic Objective 100x Obiettivo PLAN-Acromatico 100x S48	<b>235 €</b>
	30M513	MB.45.40		Kit for polaeized light (Only filters) Set per luce polarizzata (Solo filtri) S/48	<b>65 €</b>
	30M515	MB.6.40		12V/20W halogen bulb with dichroic mirror Lampada alogena 12V/20W con specchio dicroico S/48	<b>10 €</b>
	30M516	MB.72.40		Mechanical stage for polarized light Tavolino traslatore rotante per luce polarizzata S/48	<b>108 €</b>
	30M601	MB.40.40		Eyepiece WF 15x/16mm Oculare WF 15x/16mm S/48	<b>60 €</b>
	30M602	MB.45.40		Micrometric Eyepiece EWF 10x/22mm Oculare micrometrico EWF 10x/22mm S/48	<b>66 €</b>




	30M616	MB.840.40		Completo kit for fase contrast w/eyepieces PLAN 10X, 20X, 40X, 100X Kit completo per contrasto di fase con obiettivi 10X, 20X, 40X, 100X S/48	<b>1260 €</b>
	30M616.1	MB.345..40		Completo kit for fase contrast w/eyepieces PLAN 40X, Kit completo per contrasto di fase con obiettivo 40X S/48	<b>517 €</b>
	30M618	MB.152.40		Dark field condenser Condensatore a campo scuro per obiettivi a secco S/48	<b>228 €</b>
	30M619	MB.100.40		Photo adapter for cameras reflex Adattatore fotografico per macchina fotografica reflex S/48	<b>150 €</b>
	30M620	MB.106.40		Photo adapter for CCD, with eyepieces Adattatore fotografico per CCD, con oculare S/48	<b>160 €</b>
	30M630	MB.85.40		PLAN-Acromatic Objective 10x for fase contrast Obiettivo PLAN-Acromatico 10x per contrasto di fase S/48	<b>128 €</b>
	30M631	MB.99.40		PLAN-Acromatic Objective 20x for fase contrast Obiettivo PLAN-Acromatico 20x per contrasto di fase S/48	<b>149 €</b>
	30M632	MB.173.40		PLAN-Acromatic Objective 40x for phase contrast Obiettivo PLAN-Acromatico 40x per contrasto di fase S/48	<b>260 €</b>
	30M633	MB.262.40		PLAN-Acromatic Objective 100x for phase contrast Obiettivo PLAN-Acromatico 100x per contrasto di fase S/48	<b>393 €</b>
	30M666	MB.310.40		Heating stage with digital temperature controller Tavolino riscaldante con regolatore digitale temperatura S/48	<b>465 €</b>
	30M970	MB.12.40		Completo filters kit BLU, GREEN, YELLOW, DIFF, diam 32 Kit filtri 32 mm BLU, VERDE, GIALLO, SMERIGLIATO S/47	<b>20 €</b>
	30M970B	MB.23.40		Completo filters kit BLU, GREEN, YELLOW, DIFF, diam 45 Kit filtri 45 mm BLU, VERDE, GIALLO, SMERIGLIATO S/48	<b>37 €</b>

	30M971	MB.5.40		<p>Eyeieces adapter ext diam. 30 mm, int. 23,5 mm</p> <p>Adattatore diam. Esterno 30 mm, int. 23,5 mm</p>	<b>10 €</b>
	30M971B	MB.5.40		<p>Eyeieces adapter ext diam. 30,5 mm, int. 23,5 mm</p> <p>Adattatore diam. Esterno 30,5 mm, int. 23,5 mm</p>	<b>10 €</b>
	32M800	MB.14.40		<p>Kit 25 prepared slides ANATOMY in wood box</p> <p>Kit 25 vetrini preparati ANATOMIA in scatola di legno</p>	<b>21 €</b>
	32M801	MB.14.40		<p>Kit 25 prepared slides ZOOLOGY in wood box</p> <p>Kit 25 vetrini preparati ZOOLOGIA in scatola di legno</p>	<b>21 €</b>
	32M802	MB.14.40		<p>Kit 25 prepared slides BOTANY in wood box</p> <p>Kit 25 vetrini preparati BOTANICA in scatola di legno</p>	<b>21 €</b>
	32M803	MB.14.40		<p>Kit 25 prepared slides BOTANY2° in wood box</p> <p>Kit 25 vetrini preparati BOTANICA2° in scatola di legno</p>	<b>21 €</b>
	32M805	MB.00.40		<p>Kit 10 slides with cover glasses in wood box</p> <p>Kit 10 vetrini bianchi e coprivetrini in scatola di legno</p>	<b>10 €</b>
	32M807	MB.6.40		<p>Kit 50 slides in carton box</p> <p>Kit 50 vetrini portaoggetto in scatola</p>	<b>11 €</b>
	32M808	MB.8.40		<p>Kit 200 slides in carton box</p> <p>Kit 200 vetrini coprioggetto in scatola</p>	<b>13 €</b>
	32M809	MB.9.40		<p>Oil immersion 10 ml.</p> <p>Olio per immersione 10 ml.</p>	<b>14 €</b>
	32M810	MB.7.40		<p>Canada balsam 10 ml.</p> <p>Balsamo del Canada 10 ml.</p>	<b>12 €</b>
	32M820	MB.7.40		<p>Scissors for microscopy</p> <p>Forbici per microscopia</p>	<b>10 €</b>
	32M821	MB.10.40		<p>Bistoury in stainless steel</p> <p>Bisturi di precisione in INOX</p>	<b>15 €</b>

	32M822	MB.2.40	 8 058450 364205	Economic bistoury Bisturi economico	<b>5 €</b>
	32M823	MB.6.40	 8 058450 364212	Tweezer in stainless steel Pinzette diritta in INOX	<b>9 €</b>
	32M824	MB.6.40	 8 058450 364229	Tweezer in stainless steel Pinzette a punte piatte in INOX	<b>9 €</b>
	32M825	MB.26.40	 8 058450 364236	Kit for slides preparation Kit per preparazione vetrini	<b>38 €</b>
	32M826	MB.120.40	 8 058450 364243	Microtom with razor Microtomo a tamburo con rasoio	<b>170 €</b>
	32M990	MB.6.40		<a href="#">Atlas of micro organism (in Italian)</a> Atlante micro organismi acquatici (in Italiano)	<b>10 €</b>









**ACCESSORIES FOR STEREO MICROSCOPES  
ACCESSORI PER MICROSCOPI STEREO**

	Code	Items	Type	Description & Accessories	Public Price
	31ST001	ST.40.40	 8 058450 363338	<b>2 eyepieces WF 5x/22 mm</b> Coppia oculari WF 5x/22 mm <i>S/50/51/52/53</i>	<b>60 €</b>
	31ST002	ST.35.40	 8 058450 363345	<b>2 eyepieces WF 10x/20 mm</b> Coppia oculari WF 10x/20 mm <i>S/50/51/52/53</i>	<b>55 €</b>
	31ST003	ST.30.40	 8 058450 363352	<b>2 eyepieces WF 15x/15 mm</b> Coppia oculari WF 15x/15 mm <i>S/50/51/52/53</i>	<b>50 €</b>
	31ST004	ST.35.40	 8 058450 363369	<b>2 eyepieces WF 20x/13 mm</b> Coppia oculari WF 20x/13 mm <i>S/50/51/52/53</i>	<b>55 €</b>
	31ST005	ST.35.40	 8 058450 363376	<b>Micrometric eyepiece WF 10x</b> Oculare micrometrico 10x <i>S/50/51/52/53</i>	<b>55 €</b>
	31ST006	ST.4.40	 8 058450 363383	<b>Fluorescent bulb 10W/12V</b> Lampada ad incandescenza 10W/12V <i>S/50/51/52/53</i>	<b>7 €</b>
	31ST013	ST.6.40	 8 058450 363390	<b>Halogen bulb 10W/12V with dichroic mirror</b> Lampada alogena 10W/12V con specchio dicroico <i>S/53</i>	<b>10 €</b>

	31ST020	ST.25.40	 8 058450 363406	Objective 1x Obiettivo 1x S/50	<b>40 €</b>
	31ST021	ST.25.40	 8 058450 363413	Objective 3x Obiettivo 3x S/50	<b>40 €</b>
	31ST022	ST.26.40	 8 058450 363420	Objective 4x Obiettivo 4x S/50	<b>42 €</b>
	31ST023	ST.43.40	 8 058450 363475	Additional lens 0,5x (negative) for LAB2 Lente addizionale 0,5x (negativa) per LAB2 S/53	<b>54 €</b>
	31ST024	ST.43.40	 8 058450 363482	Additional lens 1,5x (positive) for LAB2 Lente addizionale 1,5x (positive) per LAB2 S/53	<b>54 €</b>
	31ST025	ST.28.40	 8 058450 363857	Objective 1 x Obiettivo 1x S/52	<b>45 €</b>
	31ST026	ST.28.40	 8 058450 363444	Objective 3,5x Obiettivo 3,5x S/52	<b>45 €</b>
	31ST028	ST.6.40	 8 058450 363451	Halogen bulb 10W/12V Lampada alogena 10W/12V S/50/51/52/53	<b>10 €</b>
	31ST037	ST.6.40	 8 058450 363604	Halogen bulb 15W/12V with dichroic mirror Lampada alogena 15W/12V con specchio dichroico S/54	<b>10 €</b>
	31ST038	ST.5.40	 8 058450 363611	Halogen bulb 15W/12V Lampada alogena 15W/12V S/54	<b>9 €</b>
	31ST040	ST.45.40	 8 058450 363468	Dark field condenser Condensatore per campo scuro S/51/53	<b>70 €</b>
	31ST082	ST.62.40	 8 058450 363505	2 eyepieces WF 15x - 15 mm Coppia oculari WF 15x - 15 mm S/54	<b>95 €</b>
	31ST083	ST.62.40	 8 058450 363512	2 eyepieces WF 20x - 10 mm Coppia oculari WF 20x - 10 mm S/54	<b>95 €</b>

	31ST084	ST.47.40		<b>Micrometric Eyepieces WF 10x – 20 mm</b> Oculare micrometrico WF 10x – 20 mm S/54	<b>70 €</b>
	31ST085	ST.67.40		<b>Additional lens 0,50x (negative)</b> Lente addizionale 0,50x (negativa) S/54	<b>100 €</b>
	31ST086	ST.67.40		<b>Additional lens 1,5x (positive)</b> Lente addizionale 1,5x (positiva) S/54	<b>100 €</b>
	31ST087	ST.67.40		<b>Additional lens 2x (positiva)</b> Lente addizionale 2x (positiva) S/54	<b>100 €</b>
	31ST088	ST.115.40		<b>Polarized light kit (filters and rotating disk)</b> Kit per luce polarizzata (filtri e piano rotante) S/54	<b>172 €</b>
	31ST089	ST.78.40		<b>Photo adapter</b> Adattatore fotografico S/54	<b>117 €</b>
	31ST090	ST.78.40		<b>CCD adapter</b> Adattatore per camera CCD S/54	<b>117 €</b>
	31ST091	ST.67.40		<b>Additional lens 0,75x (positiva)</b> Lente addizionale 0,75x (positiva) S/54	<b>100 €</b>
	31ST100	ST.153.40		<b>Mechanical stage</b> Tavolino traslatore S/53	<b>230 €</b>
	31STL3	ST.341.40		<b>Flexible arm with clamp for table</b> Braccio mobile con morsetto S/53/54	<b>500 €</b>
	31STL4	ST.370.40		<b>Flexible arm with base in metal</b> Braccio mobile con base in metallo S/32/54	<b>550 €</b>
	31STL5	ST.400.40		<b>Double flexible LED light arm and LED light base</b> Illuminazione a LED con doppio braccio flessibile. Base con illuminazione LED. S/53/54	<b>590 €</b>

	31CL01	ST.170.40	 8 058450 363659	<b>Light cold generator</b> Generatore di luce fredda <i>S/50/51/52/53</i>	<b>255 €</b>
	31CL02	ST.17.40	 8 058450 363666	<b>Bulb lamp 100W for 31CL01</b> Lampada di ricambio 100W per 31CL01	<b>26 €</b>
	31CL11	ST.122.40	 8 058450 363673	<b>Double arm fiber optik (length 500mm, diam. 13mm)</b> Fibra ottica a 2 bracci (Lunghezza 500mm, diam. 13mm) <i>S/50/51/52/53</i>	<b>185 €</b>
	31CL12	ST.188.40	 8 058450 363680	<b>Ring optik fiber guide (Lenght 700mm, diam. 16mm)</b> Guida a fibre ottiche circolare (Lunghezza 700mm, diam 16mm) <i>S/50/51/52/53</i>	<b>282 €</b>
	31CL15	ST.85.40	 8 058450 363697	<b>Ring led illumination with intensità light control (Diam. 60mm)</b> Illuminat. circolare LED con regolazione intensità (diam.60mm) <i>S/50/51/52/53</i>	<b>130 €</b>
	31CL20	ST.53.40	 8 058450 363703	<b>Ring light illumination by NEON (Diam. 60 mm)</b> Illuminatore circolare al NEON (Diam. 60 mm) <i>S/50/51/52/53</i>	<b>80 €</b>
	31CL30	ST.162.40	 8 058450 363710	<b>Double arm with LED guide</b> Doppio Illuminatore a LED <i>S/50/51/52/53</i>	<b>245 €</b>
	32CLB0.5	ST.76.40	 8 058450 363819	<b>CCD 0.48 Mpixels 800x600, + software + calibration slide</b> CCD 0.48 Mpixels 800x600 + software + vetrino di calibrazione	<b>114 €</b>
	32CLB1	ST.135.40	 8 058450 363826	<b>CCD 1,3 Mpixels, + software + calibration slide</b> CCD 1,3 Mpixels + software + vetrino di calibrazione	<b>199 €</b>
	32CLB2	ST.218.40	 8 058450 363727	<b>"C" Mount CCD, 2 Mpixels 1280x1024 + software + calibration slide</b> CCD attacco "C", 2 Mpixels 1280x1024 + software + vetrino di calibrazione	<b>328 €</b>
	32CLB3	ST.213.40	 8 058450 363734	<b>CCD 3.2 Mpixels 2048x1536 + software + calibration slide</b> CCD 3.2 Mpixels 2048x1536 + software + vetrino di calibrazione	<b>320 €</b>
	32CLB5	ST.257.40	 8 058450 363833	<b>CCD 5.04 Mpixels 2592x1944 + software + calibration slide</b> CCD 5.04 Mpixels 2592x1944 + software + vetrino di calibrazione	<b>385 €</b>
	32CLB9	ST.500.40	 8 058450 363840	<b>CCD 9.12 Mpixels 3488x2616 + software + calibration slide</b> CCD 9.12 Mpixels 3488x2616 + software + vetrino di calibrazione	<b>750 €</b>
	32PRO3	ST.494.40	 8 058450 363758	<b>CCD 3,2M pixels 2048x1536 with software</b> CCD 3,2M pixel 2048x1536 con software	<b>742 €</b>
	32PRO5	ST.705.40	 8 058450 363765	<b>CCD 5,0 M pixels 2560x1920 with software</b> CCD 5,0 M pixel 2560x1920 con software	<b>1065 €</b>

	32CL3	ST.1980.40	 8 058450 363741	CCD 5,0 M pixels 2560x1920 with software CCD 5,0 M pixel 2560x1920 con software	<b>2950 €</b>
	32VC01	ST.320.40	 8 058450 363772	Kit CCD 1/3" Sony, optic adapter x stereo & biologic, integrate power supply, connexion cables. Kit CCD 1/3" Sony, adattatore ottico x stereo & biologici, trasformatore integrato, cavi di connessione.	<b>470 €</b>
	32VC02	ST.220.40	 8 058450 363789	CCD SONY 1/3", connexion cable with SCART adapter. CCD SONY 1/3", cavi di connessione con presa SCART	<b>340 €</b>
	32VCUSB	ST.100.40	 8 058450 363796	Converter from analogic signal to digital signal Convertitore da segnale analogico a segnale digitale	<b>155 €</b>

All price are "ex works" - Tutti i prezzi sono "franco fabbrica" se&o  
**Recommended public price with Italian VAT (IVA) 20% included**

# CONDIZIONI DI VENDITA

## 1 - PREMESSA

**1.1** - Le condizioni generali di vendita si applicano ai contratti conclusi tra GEOPTIK (in seguito "GEOPTIK") ed i suoi clienti o partner (in seguito il/i "Cliente/i" o "partner"), tramite il sito Internet [www.geoptik.com](http://www.geoptik.com), od attraverso altri mezzi, per la vendita dei beni descritti.

**1.2** - Il Cliente è tenuto a conservare le presenti condizioni generali del contratto.

**1.3** - Le seguenti condizioni generali possono essere modificate in qualsiasi momento da GEOPTIK. Il Cliente si impegna, ad ogni modifica delle presenti condizioni di vendita, a stamparle e conservarle.

## 2 - CONDIZIONI DI VENDITA E PAGAMENTI

**2.1** - I prezzi indicati al pubblico sono espressi in Euro e sono comprensivi di IVA Italiana (20%) e non comprendono il trasporto, il contrassegno e l'assicurazione (i prezzi "Dealers" non sono compresi dell' IVA o altre imposte).

**2.2** - I prezzi indicati si intendono "franco magazzino Geoptik" anche se consegnati in "porto franco" ma con addebito in fattura.

**2.3** - Nel caso in cui GEOPTIK non riesca ad eseguire il contratto per indisponibilità, anche temporanea, del bene avverte il Cliente via posta elettronica.

**2.4** - GEOPTIK, in caso di disponibilità del bene, si impegna ad eseguire i contratti nel più breve tempo possibile.

**2.5** - GEOPTIK esegue il contratto consegnando il bene al corriere o alla posta a seconda della scelta e dell'urgenza del Cliente.

**2.6** - Nel caso in cui il Cliente non ritiri la merce al primo tentativo, ogni ulteriore spesa è a carico del Cliente.

**2.7** - In ogni caso, GEOPTIK è terza nel rapporto tra Cliente e vettore del bene.

**2.8** - Le spese di trasporto e di assicurazione (se richiesta) saranno comunicate al momento dell'accettazione dell'ordine da parte di GEOPTIK.

**2.9** - Le eventuali spese di incasso attraverso ricevuta bancaria (anche se elettronica) sono a carico dell'acquirente.

**2.10** - Gli ordini in contrassegno (per contanti o per assegno circolare) sono gravati di costi per l'incasso del 1,5% (Italia) con un minimo di €5.

**2.11** - Non si accettano assegni che non siano del destinatario della fattura.

**2.12** - Gli ordini con pagamento alla consegna o anticipato con assegni internazionali (Comunità Europea) sarà atteso l'esito del titolo (min. 15 giorni) prima di effettuare l'invio dell'ordine.

**2.13** - Dati per effettuare il pagamento:

**1) BANCA VERONESE - Ag. San Giovanni Lupatoto (VR) Italia**

**IBAN : IT51V083225977000000606743 - ABI : 08322 - CAB : 59770 CONTO : 606743 - SWIFT : ICRAITRR8Y0**

**2) BANCOPOSTA - IBAN: IT86Y076011170000004601158**

**3) Con ricarica Postepay : 4176 3105 9809 4913**

**4) Con Paypal : [bonafini@geoptik.com](mailto:bonafini@geoptik.com)**

**2.14** - Non ricevendo il pagamento dopo 5 giorni dalla scadenza, sarà applicata una mora secondo le vigenti norme.

**2.15** - Su tutta la merce grava il "diritto di proprietà" finché non sia stata saldata l'intera fattura ed eventuali spese.

## 3 - TEMPI DI CONSEGNA E TRASPORTO

**3.1** - Di regola, GEOPTIK effettua le spedizioni entro 8 giorni lavorativi dal giorno in cui accetta l'ordine.

**3.2** - GEOPTIK non è responsabile dei ritardi di consegna visto che non è "vettore" in questo contratto. Il vettore risponde in proprio della consegna del bene al Cliente.

**3.3** - L'accettazione dei colli inviati da GEOPTIK, che presentino segni di manomissione, bagnati o con l'involucro esterno non integro, senza aver fatto specifica "riserva" al trasportatore, fa recedere da ogni responsabilità il trasportatore stesso da eventuali danni di trasporto. Inoltre senza tale "riserva" solleva Geoptik e l'assicurazione da ogni responsabilità.

**3.4** - Il cliente che non comunichi assieme all'ordine il mezzo e nome del trasportatore che intende usare, autorizza fin d'ora GEOPTIK ad utilizzare il mezzo e il trasportatore che ritiene più idoneo per l'esecuzione del contratto.

## 4 - GARANZIA

**4.1** - La produzione Geoptik è coperta da garanzia sulle lavorazioni e sui materiali per un periodo non superiore a 2 anni dalla data del suo primo acquirente.

**4.2** - I danni derivanti da un uso improprio, danni accidentali, inesperienza, riparazioni da personale non autorizzato o danni derivanti dal trasporto sono esclusi dalla garanzia. Non accettiamo nessun'altra responsabilità se non per danni causati da nostra negligenza o per difetti di fabbricazione.

**4.3** - GEOPTIK, a suo insindacabile giudizio, riparerà o sostituirà gratuitamente la parte difettata, o l'intero telescopio, che sia coperto da garanzia e che saranno inviati, in porto franco, al centro di riparazione con il suo imballo originale e completo di tutte le sue parti originali congiuntamente al nome, cognome, indirizzo, telefono o fax, e indirizzo di posta elettronica del proprietario del bene.

**4.4 - IMPORTANTE.** Prima di qualsiasi invio di materiale per la sostituzione o riparazione Lei dovrà richiedere il NUMERO DI AUTORIZZAZIONE (RAN) a [info@geoptik.com](mailto:info@geoptik.com) o al seguente numero di fax 02 700412083, **senza il quale nessun pacco sarà ritirato dal centro assistenza GEOPTIK.**

**4.5** - Il bene si considera restituito al momento in cui il vettore lo consegna presso il laboratorio di riparazione.

**4.6** - La presente garanzia e responsabilità limitata è disciplinata dalle leggi della Repubblica Italiana.

## 5 - PRIVACY

**5.1** - Ai sensi della legge 31 dicembre 1996 n. 675 (Tutela delle persone e di altri soggetti rispetto al trattamento dei dati personali), GEOPTIK e tutti i vettori utilizzati per le spedizioni, sono titolari autonomi del trattamento dei dati personali raccolti da GEOPTIK.

**5.2** - La raccolta ed il trattamento dei dati personali dei Clienti hanno le seguenti finalità:

- > permettere l'identificazione personale del Cliente;
- > provvedere a tutte le comunicazioni con il Cliente;
- > permettere la corretta esecuzione del contratto concluso con il Cliente;
- > consentire al vettore la consegna del bene al recapito indicato;
- > elaborare le statistiche di utilizzo ed ogni altro strumento necessario al funzionamento dell'impresa;
- > per comunicare offerte di prodotti.

**5.3** - Il conferimento dei dati personali è necessario agli effetti della richiesta identificazione del Cliente e della corretta esecuzione del contratto. In assenza di tali indicazioni, GEOPTIK si riserva il diritto di non accettare l'ordine.

**5.4** - GEOPTIK si riserva il diritto di risolvere per inadempimento il contratto concluso, nel caso in cui i dati personali indicati si rivelino successivamente non idonei alla corretta esecuzione del contratto.

**5.5** - Il Cliente si impegna a non comunicare a GEOPTIK, in ogni fase del rapporto, dati falsi o dati di terze persone.

**5.6** - Il Cliente è unico responsabile dell'esattezza e dell'accuratezza dei dati personali che comunica a GEOPTIK.

## 6 - GIURISDIZIONE E FORO COMPETENTE

**6.1** - Ogni eventuale contestazione per vizi e/o difetti del materiale venduto da GEOPTIK, dovrà pervenire entro 8 giorni dalla consegna a mezzo di raccomandata A/R; allo spirare, senza contestazioni, del suddetto termine varrà quale accettazione della merce. E' altresì esclusa la prova testimoniale sulla tempestività delle contestazioni.

**6.2** - Ogni controversia relativa alla applicazione, esecuzione, interpretazione e violazione dei contratti d'acquisto stipulati con ogni altro mezzo, è sottoposta alla giurisdizione italiana e sarà esclusivamente competente il foro di Verona per espressa e concorde volontà delle parti.

## SALES CONDITION

### 1) INTRODUCTION

- 1.1 The general sales conditions that follow, apply to the contract between GEOPTIK and the client/s, can be done via the internet site, [www.geoptik.com](http://www.geoptik.com) digital catalogue or by any other means.
- 1.2 The client is expected to preserve these general conditions of the contract in paper form (printed) or on hard disk.
- 1.3 The general conditions are subject to change at any time by GEOPTIK. The client has the undertaking, at every condition change, to keep updated records (as per clause 1.2)

### 2) CONDITIONS OF SALE AND PAYMENT

- 2.1) The public prices listed are in Euro and include Italian V.A.T. (20%) The "Dealers" price don't include duty, custom and brokerage fees and may be charged by other parties.
- 2.2) The prices listed are "ex-work" GEOPTIK warehouse even if delivered as F.O.B. but with a debit on the invoice.
- 2.3) In the event that GEOPTIK cannot supply due to unavailability, even temporarily, the client will be advised by electronic mail.
- 2.4) In the event that GEOPTIK has availability of stock, the client will be informed in the shortest time possible of the scheduled despatch date.
- 2.5) GEOPTIK will follow the delivery contract to supply the goods either by courier or by postal service or by clients urgency choice.
- 2.6) In the event that the client fails to collect the goods by first delivery notification, all further costs are at clients expense.
- 2.7) In every event, should a dispute arise between client and courier, postal service or any other delivery means, GEOPTIK is third to this.
- 2.8) Communication of delivery and insurance costs (compulsory for the full invoice amount) will be effected only once order "GEOPTIK approved".
- 2.9) All payment, transaction costs (bank, postal, electronic etc.) will be at client expense.
- 2.10) All C.O.D orders (cash or bank draft) have a cost surcharge of 1,5% (Italy) with a minimum of € 5; or 2% (foreign) with a minimum of € 8.
- 2.11) No cheques will not be accepted unless the cheque is in the purchasers name.
- 2.12) Orders paid with international cheques (E.U) are subject to verification before shipping with a min. 15 day order delivery confirmation.
- 2.13) Bank detail in order to do a payment from Italy;

**1) BANCA VERONESE Ag. S.Giovanni Lupatoto (VR) Italia**

**IBAN : IT51V0832259770000000606743 - ABI : 08322 - CAB : 59770 CONTO : 606743 – SWIFT : ICRATRR8Y0**

**2) BANCOPOSTA – IBAN: IT86Y0760111700000004601158**

**3) With rechargeable Postpay card : 4176 3105 9809 4913**

**4) With Paypal : [bonafini@geoptik.com](mailto:bonafini@geoptik.com)**

From Foreign countries:

**1) CASSA DI RISPARMIO DI BOLZANO - SPARKASSE**

**IBAN: IT29W0604559770000005000052 - SWIFT : CRBZIT2B112**

**2) With Paypal : [bonafini@geoptik.com](mailto:bonafini@geoptik.com)**

- 2.14) Payment not effected after 5 days due date, will be subjected to an interest penalty in accord with the actual law.
- 2.15) All merchandise is "GEOPTIK property" until such time that expenses and invoices are settled in full

### 3) DELIVERY TIMES AND TRANSPORT

- 3.1) By norm, GEOPTIK will effect delivery within 10 working days from acceptance of order.
- 3.2) GEOPTIK is not responsible for delayed delivery, seeing that they are not the "carrier" in this contract. The "carrier" is responsible for the delivery.
- 3.3) The acceptance of packages that have signs of tampering, dampness, or damaged outer box without specifying on the carriers delivery note a "right of merchandise verification". By not completing the verification, Geoptik and the carrier are not held responsible for the damages and the insurance will decline all responsibility.
- 3.4) If the clients does not communicate,, together with the order, the name or means of transport intended using, the client will therefore be authorising GEOPTIK to use their own means of delivery transport.

### 4) WARRANTY

- 4.1) The GEOPTIK production is covered by a 2 year warranty from date of purchase, to first ownership. against workmanship and faulty material.
- 4.2) All damages caused by improper use, accidental, inexperience, repairs from non authorised service dealer or transport damage are not covered by the warranty. **We will not accept any form of responsibility ,only those caused by our negligence or for factory fault.**
- 4.3) Only GEOPTIK can decide whether to repair, exchange the defected part or complete telescope which are still under warranty. The telescope must be sent at clients expense to GEOPTIK service centre in it's original packaging and containing original parts and accessories. Client to specify name, surname, address, tel and fax no. and e-mail address of the original purchaser.
- 4.4) **IMPORTANT. Before goods are resent for exchange or repairs, the client must request an Return Authorisation Number (RAN) to [service@geoptik.com](mailto:service@geoptik.com) or at the following fax no. +39 02 700412083. By failing to do this no package can be collect from GEOPTIK European service centre.**
- 4.5) The goods are considered "returned" only once GEOPTIK signs for goods acceptance.
- 4.6) The present warranty and limited responsibility is regulated by Italian Law

### 5) PERSONAL DETAIL HANDLING

- 5.1) The client must specify in the appropriate module on the website, all personal details that are showed as compulsory.
- 5.2) By Law conformity of the 31<sup>st</sup> December 1996 no. 675, GO has to supply the carrier or means of transport with client personal details. The carrier/other means of transport/insurer are responsible for Client Detail Privacy. The Client personal details serves as follows:
  - ✓ Allows certification or identification of client.
  - ✓ Provides communication details.
  - ✓ Permits fiscal details.
  - ✓ Allows carrier to deliver the goods at the correct address.
  - ✓ Elaborates statistics and other fiscal obligations
  - ✓ To communicate product specials.

- 5.3) In order for GEOPTIK to complete the contract and/or accept the order, the client must supply personal and fiscal details.

- 5.4) GEOPTIK reserves the rights to annul the contract if the personal or fiscal details are not complete.

- 5.5) The client is obliged to supply true information and failing to do so is against the Law.

- 5.6) The client has the sole responsibility for the true details and emitting of fiscal documents

### 6) JURISDICTION AND COMPETENT COURT

- 6.1) All contestations for material defects must be communicated within 8 days from delivery date by registered mail A/R; after expiry, without contestations, the goods are intended as accepted. Testimonial witnesses are not accepted.
- 6.2) GEOPTIK and client/s concord that every controversy related to the application, execution, interpretation and violation of this purchase contract, will be exclusively competent to the Jurisdiction of Verona, Italy.